



Legend

Blue= interview instructions (not to be read aloud)

Gray= rules and gating

Green= lifetime version

Illegal Drug Use Module

DRUG MODULE ENTRY: ONE OR MORE 'YES' RESPONSES IN SC26d – SC26k

IU1a. (The next questions are about medicines that are often used non-medically. By “used non-medically” we mean either used without the recommendation of a health professional, or used in greater amounts than your health professional told you to use them, or used for any reason other than what a health professional said you should use them for. We will ask you about three groups of medicines:)

The first group is sedatives or tranquilizers, sometimes called “downers” or “nerve pills.” These are medicines people sometimes use to help them stay calm and relaxed or to sleep. Examples are listed in the side panel and include valium, rohypnol, and diazepam. Have you ever used a sedative or tranquilizer non-medically?

- ☐ Yes **GO TO CKPT.IU1**
☐ No **GO TO IU1c**

IF DK/RF, GO TO IU1C

CKPT.IU1

1.... SC26c=Past12mo

GO TO IU1b

2.... SC26c=NotPast12mo

GO TO IU1c

IU1b. Have you used a sedative or tranquilizer non-medically during the past 12 months?


- ☐ Yes **GO TO IU1g**
☐ No **GO TO IU1e**

IF DK/RF, GO TO IU1E

IU1c. Have you ever used a sedative or tranquilizer that a doctor prescribed for you?

- ☐ Yes **GO TO IU1d**
☐ No **GO TO IU2a**

IF DK/RF, GO TO IU2A



IU1d. Was your use ever so regular that you felt you could not stop using the sedative or tranquilizer prescribed for you?

- ☐ Yes **GO TO IU1f**
☐ No **GO TO IU2a**
IF DK/RF, GO TO IU2A

IU1e. Have you used a sedative or tranquilizer that a doctor prescribed for you during the past 12 months?

- ☐ Yes **GO TO IU1f**
☐ No **GO TO IU1g**
IF DK/RF, GO TO IU1G

IU1f. During the past 12 months, was your use ever so regular that you felt you could not stop using the sedative or tranquilizer prescribed for you?

- ☐ Yes
☐ No

IU1g. How old were you the first time you used sedatives or tranquilizers *IUFILL1*?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF IU1b or IU1a= 1

IUFILL1= non-medically

IF IU1d or IU1f= 1

IUFILL1= so regularly that you felt you could not stop using

years old

IU2a. [The next questions are about medicines that are often used non-medically. By “used non-medically” we mean either used without the recommendation of a health professional, or used in greater amounts than your health professional told you to use them, or used for any reason other than what a health professional said you should use them for. We will ask you about three groups of medicines:]

The second group of medicines is stimulants, sometimes called speed, ice, glass, crystal, crank, pep pills, or uppers. These are medicines that people sometimes use to stay awake, to improve their low mood, or to lose weight. Examples are listed in the side panel and include dexamyl, methamphetamine, adderall, and ritalin. Have you ever used a stimulant non-medically?

- ☐ Yes **GO TO CKPT.IU2**
 - ☐ No **GO TO IU2c**
- IF DK/RF, GO TO IU2C**

CKPT.IU2

1.... SC26c=Past12mo

GO TO IU2b

2.... SC26c=NotPast12mo

GO TO IU2c

IU2b. Have you used a stimulant non-medically during the past 12 months?

- ☐ Yes **GO TO IU2g**
 - ☐ No **GO TO IU2e**
- IF DK/RF, GO TO IU2E**

IU2c. Have you ever used a stimulant that a doctor prescribed for you?

- ☐ Yes **GO TO IU2d**
 - ☐ No **GO TO IU3a**
- IF DK/RF, GO TO IU3A**

IU2d. Was your use ever so regular that you felt you could not stop using the stimulant prescribed for you?

- ☐ Yes **GO TO IU2f**
 - ☐ No **GO TO IU3a**
- IF DK/RF, GO TO IU3A**

IU2e. Have you used a stimulant that a doctor prescribed for you during the past 12 months?

- ☐ Yes **GO TO IU2f**
 - ☐ No **GO TO IU2g**
- IF DK/RF, GO TO IU2G**

IU2f. During the past 12 months, was your use ever so regular that you felt you could not stop using the stimulant prescribed for you?

- ☐ Yes
☐ No

IU2g. How old were you the first time you used stimulants *IUFILL2*?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12'; +

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF IU2b or IU2a= 1

IUFILL2= non-medically

IF IU2d or IU2f= 1

IUFILL2= so regularly that you felt you could not stop using

years old

IU3a. [The next questions are about medicines that are often used non-medically. By "used non-medically" we mean either used without the recommendation of a health professional, or used in greater amounts than your health professional told you to use them, or used for any reason other than what a health professional said you should use them for. We will ask you about three groups of medicines]:

The third group of medicines is analgesics. These are medicines that people usually take as pain killers. Examples are listed in the side panel and include codeine, morphine, and percodan. Have you ever used a prescription strength pain killer non-medically?

- ☐ Yes **GO TO CKPT.IU3**
☐ No **GO TO IU3c**

IF DK/RF, GO TO IU3C

CKPT.IU3

1.... SC26c=Past12mo

GO TO IU3b

2.... SC26c=NotPast12mo

GO TO IU3c

IU3b. Have you used a prescription strength pain killer non-medically during the past 12 months?

- ☐ Yes **GO TO IU3g**
☐ No **GO TO IU3e**

IF DK/RF, GO TO IU3E

IU3c. Have you ever used a prescription strength pain killer that a doctor prescribed for you?

- ☐ Yes **GO TO IU3d**
☐ No **GO TO IU4**
IF DK/RF, GO TO IU4

IU3d. Was your use ever so regular that you felt you could not stop using the prescription strength pain killer prescribed for you?

- ☐ Yes **GO TO IU3f**
☐ No **GO TO IU4**
IF DK/RF, GO TO IU4

IU3e. Have you used a prescription strength pain killer that a doctor prescribed for you during the past 12 months?

- ☐ Yes **GO TO IU3f**
☐ No **GO TO IU3g**
IF DK/RF, GO TO IU3G

IU3f. During the past 12 months, was your use ever so regular that you felt you could not stop using the prescription strength pain killer prescribed for you?

- ☐ Yes
☐ No

IU3g. How old were you the first time you used prescription strength pain killers *IUFILL3*?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF IU3b or IU3a= 1

IUFILL3= you used sedatives or tranquilizers non-medically

IF IU3d or IU3f= 1

IUFILL3= your use of sedatives or tranquilizers was so regular that you felt you could not stop using

years old

[Grid Screen 1]

The next questions are about your experience with several other types of drugs.

[INTERVIEWER: If event is endorsed ask the follow-up questions at right. Move from left to right across the grid. Age should not be greater than participant's current age]

	Yes (1)	No (0)	If Yes	
			How old were you the first time you used this drug?	Did you use this drug during the past 12 months?
IU4. Have you ever used either marijuana or hashish?	<input type="radio"/>	<input type="radio"/>	_____ yrs	<input type="checkbox"/>
IU5. Have you ever used cocaine in any form, including powder, crack, free base, coca leaves, or paste?	<input type="radio"/>	<input type="radio"/>	_____ yrs	<input type="checkbox"/>
IU6. Have you ever used club drugs such as ecstasy, ketamine or MDMA?	<input type="radio"/>	<input type="radio"/>	_____ yrs	<input type="checkbox"/>
IU7. Have you ever used hallucinogens including LSD, mescaline, PCP, angel dust, mushrooms or peyote?	<input type="radio"/>	<input type="radio"/>	_____ yrs	<input type="checkbox"/>
IU8. Have you ever used heroin or opium?	<input type="radio"/>	<input type="radio"/>	_____ yrs	<input type="checkbox"/>
IU9. Have you ever used any inhalants or solvents such as nitrous oxide, glue, paint or gasoline?	<input type="radio"/>	<input type="radio"/>	_____ yrs	<input type="checkbox"/>
IU10. Have you ever used any other illegal drug?	<input type="radio"/>	<input type="radio"/>	_____ yrs	<input type="checkbox"/>

CKPT.IU11

1....IU10 CODED 'YES'

GO TO IU12

2... ALL OTHERS

GO TO CKPT.IU13 *[sedative gate]*

IU12. What other illegal drugs have you used?

CKPT. IU13

1.....(IU1a!=YES) AND (IU1c!=YES OR IU1d!=YES))

[PY or LT version –no nonmedical/uncontrollable

sedative use ever]

GO TO CKPT.IU15 *[stimulant gate]*

2.....Lifetime version AND ((IU1a=YES) AND (SC26c=NotPast12Mo OR IU1b!=YES) AND (IUe!=YES OR IU1f!=YES)) OR ((IU1d=YES) AND (IU1f !=YES)))

[LT version –nonmedical/uncontrollable

sedative use, but not in past 12 months]

GO TO IU14c

3.....Past year version AND (((IU1a=YES) AND (SC26c=NotPast12Mo OR IU1b!=YES) AND (IU1e!=YES OR IU1f!=YES)) OR ((IU1d=YES) AND (IU1f !=YES)))

[PY version –nonmedical/uncontrollable

sedative use, but not in past 12 months]

GO TO CKPT.IU15 *[stimulant gate]*

4.....(IU1a=YES OR IU1d=YES) AND (IU1b=YES OR IU1f=YES)

[PY or LT version –

nonmedical/uncontrollable sedative use in past 12 months]

GO TO IU14a

IU14a. How often did you use sedatives or tranquilizers during the past twelve months – every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU14

1... PY version

GO TO CKPT.IU15

2... LT version

CONTINUE

IU14b. Did you ever have a 12 month period when you used sedatives or tranquilizers more than you did during the past 12 months?

- ☐ Yes
- ☐ No **GO TO IU14F**

IF DK/RF, GO TO IU14F

IU14c. Thinking of the year when you used sedatives or tranquilizers the most, how often did you use - never, less than once a month, one to three days a month, one to two days a week, three to four days a week, nearly every day, or every day?

- ☐ Every day
 - ☐ Nearly every day
 - ☐ 3-4 days / week
 - ☐ 1-2 days / week
 - ☐ 1-3 days / month
 - ☐ Less than once a month
 - ☐ Never
- GO TO CKPT. IU15 [stimulant gate]
IF DK/RF, GO TO CKPT.IU15

CKPT.IU14d

1....CKPT.IU13=4	<i>[LT version –tranq/sedative use in past 12 months]</i>	GO TO IU14F
2.....CKPT.IU13=2	<i>[LT version –tranq/sedative use, but not in past 12 months]</i>	GO TO IU14E

IU14e. How old were you the last time you used sedatives or tranquilizers *IUFILL4*?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF IU1b or IU1a= 1

IUFILL4= non-medically

IF IU1d or IU1f= 1

IUFILL4= so regularly that you felt you could not stop using

years old

IU14f. In how many different years did you use sedatives or tranquilizers *IUFILL5*?

IF IU1b or IU1a= 1

IUFILL5= non-medically

IF IU1d or IU1f= 1

IUFILL5= so regularly that you felt you could not stop using

years

CKPT. IU15

- 1.....(IU2a!=YES) AND ((IU2c!=YES) OR (IU2d!=YES)) *[PY or LT version –no nonmedical/uncontrollable stimulant use ever]* **GO TO CKPT.IU17** *[pain killer gate]*
- 2.....Lifetime version AND ((IU2a= YES AND (SC26c=NotPast12mo OR IU2b!=YES) AND (IU2e!=YES OR IU2f!=YES)) OR (IU2d= YES AND (IU2f !=YES))) *[LT version –nonmedical/uncontrollable stimulant use, but not in past 12 months]* **GO TO IU16c**
- 3.....Past year version AND (((IU2a= YES) AND (SC26c=NotPast12mo OR IU2b!=YES) AND (IU2e!=YES OR IU2f!=YES)) OR ((IU2d= YES) AND (IU2f !=YES))) *[PY version –nonmedical/uncontrollable stimulant use, but not in past 12 months]* **GO TO CKPT.IU17** *[pain killer gate]*
- 4.....(IU2a= YES OR IU2d= YES) AND (IU2b= YES OR IU2f= YES) *[PY or LT version –nonmedical/uncontrollable stimulant use in past 12 months]* **GO TO IU16a**

IU16a. How often did you use stimulants during the past twelve months – every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU16

- 1... PY version
- 2... LT version

GO TO CKPT.IU17
CONTINUE

IU16b. Did you ever have a 12 month period when you used stimulants more than you did during the past 12 months?

- ☐ Yes
- ☐ No **GO TO IU16F**
- IF DK/RF, GO TO IU16F**

IU16c. Thinking of the year when you used stimulants the most, how often did you use - never, less than once a month, one to three days a month, one to two days a week, three to four days a week, nearly every day, or every day?

- ☐ Every day
 - ☐ Nearly every day
 - ☐ 3-4 days / week
 - ☐ 1-2 days / week
 - ☐ 1-3 days / month
 - ☐ Less than once a month
 - ☐ Never
- Go to CKPT. IU17 [pain killer gate]
IF DK/RF, GO TO CKPT.IU17

CKPT.IU16d

1....CKPT.IU15=4 *[LT version –stimulant use in past 12 months]* **GO TO IU16F**
2....CKPT.IU15=2 *[LT version –stimulant use, but not in past 12 months]* **GO TO IU16E**

IU16e. How old were you the last time you used stimulants *IUFILL6*?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF IU2b or IU2a = 1

IUFILL6= non-medically

IF IU2d or IU2f = 1

IUFILL6= so regularly that you felt you could not stop using

years old

IU16f. In how many different years did you use stimulants *IUFILL7*?

IF IU2b or IU2a = 1

IUFILL7= non-medically

IF IU2d or IU2f = 1

IUFILL7= so regularly that you felt you could not stop using

Years

CKPT. IU17

1.....(IU3a!=YES AND ((IU3c!=YES) OR (IU3d!=YES))
pain killer use ever]

[PY or LT version –no nonmedical/uncontrollable

GO TO CKPT.IU19 [marijuana gate]

2.....Lifetime version AND (((IU3a= YES) AND (SC26c=NotPast12mo OR IU3b!=YES) AND (IU3e!=YES OR
 IU3f!=YES)) OR ((IU3d= YES) AND (IU3f !=YES)))
killer use, but not in past 12 months]

[LT version –nonmedical/uncontrollable pain

GO TO IU18c

3.....Past year version AND (((IU3a= YES) AND (SC26c=NotPast12mo OR IU3b!=YES) AND (IU3e!=YES OR
 IU3f!=YES)) OR ((IU3d= YES) AND (IU3f !=YES)))
killer use, but not in past 12 months]

[PY version –nonmedical/uncontrollable pain

GO TO CKPT.IU19 [marijuana gate]

4.....(IU3a= YES OR IU3d= YES) AND (IU3b= YES OR IU3f= YES)
nonmedical/uncontrollable pain killer use in past 12 months]

[PY or LT version –

GO TO IU18a

IU18a. How often did you use prescription strength pain killers during the past twelve months – every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU18

1... PY version

2... LT version

GO TO CKPT.IU19

CONTINUE

IU18b. Did you ever have a 12 month period when you used prescription strength pain killers more than you did during the past 12 months?

- ☐ Yes
 - ☐ No **GO TO IU18F**
- IF DK/RF, GO TO IU18F**

IU18c. Thinking of the year when you used prescription strength pain killers the most, how often did you use - never, less than once a month, one to three days a month, one to two days a week, three to four days a week, nearly every day, or every day?

- ☐ Every day
 - ☐ Nearly every day
 - ☐ 3-4 days / week
 - ☐ 1-2 days / week
 - ☐ 1-3 days / month
 - ☐ Less than once a month
 - ☐ Never **GO TO CKPT.IU19** *[marijuana gate]*
- IF DK/RF, GO TO CKPT.IU19**

CKPT.IU18d

1....CKPT.IU17=4

[LT version –pain killer use in past 12 months]

GO TO IU18F

2....CKPT.IU17=2

[LT version –pain killer use, but not in past 12 months]

GO TO IU18E

IU18e. How old were you the last time you used prescription strength pain killers *IUFILL8*?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF IU3b or IU3a = 1

IUFILL8= non-medically

IF IU3d or IU3f = 1

IUFILL8= so regularly that you felt you could not stop using

years old

IU18f. In how many different years did you use prescription strength pain killers *IUFILL9*?

IF IU3b or IU3a = 1

IUFILL9= non-medically

IF IU3d or IU3f = 1

IUFILL9= so regularly that you felt you could not stop using

Years

CKPT. IU19

1.....IU4!=YES

[PY or LT version –no marijuana use ever]

2.....IU4 = YES AND IU4!=PAST12MO AND LIFETIME VERSION

[LT version –marijuana use, but not in past 12 months]

3.....IU4 = YES AND IU4!=PAST12MO AND PAST YEAR VERSION

[PY version –marijuana use, but not in past 12 months]

4.....IU4 = YES AND IU4 = PAST12MO

[PY or LT version –marijuana use in past 12 months]

GO TO CKPT.IU21 *[cocaine gate]*

GO TO IU20c

GO TO CKPT.IU21 *[cocaine gate]*

GO TO IU20a

IU20a. How often did you use marijuana or hashish during the past twelve months – every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU20

1... PY version

2... LT version

GO TO CKPT.IU21

CONTINUE

IU20b. Did you ever have a 12 month period when you used marijuana or hashish more than you did during the past 12 months?

- ☐ Yes
- ☐ No **GO TO IU20F**

IF DK/RF, GO TO IU20F

IU20c. Thinking of the year when you used marijuana or hashish the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ **Never** GO TO CKPT.IU21 *[cocaine gate]*

IF DK/RF, GO TO CKPT.IU21

CKPT.IU20d

- | | | |
|-------------------|---|--------------------|
| 1.....CKPT.IU19=4 | <i>[LT version –marijuana use in past 12 months]</i> | GO TO IU20F |
| 2.....CKPT.IU19=2 | <i>[LT version –marijuana use, but not in past 12 months]</i> | GO TO IU20E |

IU20e. How old were you the last time you used marijuana or hashish?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU20f. In how many different years did you use marijuana or hashish?

years

CKPT. IU21

1.....IU5!=YES

[PY or LT version –no cocaine use ever]

GO TO CKPT.IU23 *[club drug gate]*

2.....IU5=YES AND IU5!=PAST12MO CHECKED AND LIFETIME VERSION

[LT version –cocaine use, but not in past 12 months]

GO TO IU22c

3.....IU5=YES AND IU5 12MO!=PAST12MO AND PAST YEAR VERSION

[PY version –cocaine use, but not in past 12 months]

GO TO CKPT.IU23 *[club drug gate]*

4.....IU5=YES AND IU5=PAST12MO

[PY or LT version –cocaine use in past 12 months]

GO TO IU22a

IU22a. How often did you use cocaine during the past twelve months – every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU22

1... PY version
2... LT version

**GO TO CKPT.IU23
CONTINUE**

IU22b. Did you ever have a 12 month period when you used cocaine more than you did during the past 12 months?

- ☐ Yes
- ☐ No **GO TO IU22F**

IF DK/RF, GO TO IU22F

IU22c. Thinking of the year when you used cocaine the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 times / month
- ☐ Less than once a month
- ☐ Never **GO TO CKPT.IU23** *[club drug gate]*

IF DK/RF, GO TO CKPT.IU23

CKPT.IU22d

1....CKPT.IU21=4 [LT version –cocaine use in past 12 months]
2.....CKPT.IU21=2 [LT version –cocaine use, but not in past 12 months]

**GO TO IU22F
GO TO IU22E**

IU22e. How old were you the last time you used cocaine?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU22f. In how many different years did you use cocaine?

years

CKPT. IU23

1.....IU6!=YES

[PY or LT version –no club drug use ever]

GO TO CKPT.IU25 *[hallucinogen gate]*

2.....IU6 =YES AND IU6!=PAST12MO AND LIFETIME VERSION

[LT version –club drug use, but not in past 12 months]

GO TO IU24c

3.....IU6=YES AND IU6!=PAST12MO AND PAST YEAR VERSION

[PY version –club drug use, but not in past 12 months]

GO TO CKPT.IU25 *[hallucinogen gate]*

4.....IU6=YES AND IU6=PAST12MO

[PY or LT version –club drug use in past 12 months]

GO TO IU24a

IU24a. How often did you use club drugs during the past twelve months – every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU24

1... PY version

2... LT version

GO TO CKPT.IU25
CONTINUE

IU24b. Did you ever have a 12 month period when you used club drugs more than you did during the past 12 months?

- ☐ Yes
☐ No **GO TO IU24F**
IF DK/RF, GO TO IU24F

IU24c. Thinking of the year when you used club drugs the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
☐ Nearly every day
☐ 3-4 days / week
☐ 1-2 days / week
☐ 1-3 days / month
☐ Less than once a month
☐ Never **GO TO CKPT.IU25** *[hallucinogen gate]*

IF DK/RF, GO TO CKPT.IU25

CKPT.IU24d

1....CKPT.IU23=4	<i>[LT version –club drug use in past 12 months]</i>	GO TO IU24F
2....CKPT.IU23=2	<i>[LT version –club drug use, but not in past 12 months]</i>	GO TO IU24E

IU24e. How old were you the last time you used club drugs?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU24f. In how many different years did you use club drugs?

years

CKPT. IU25

1.....IU7!=YES

[PY or LT version –no hallucinogen use ever]

2.....IU7=YES AND IU7!=PAST12MO AND LIFETIME VERSION

[LT version –hallucinogen use, but not in past 12 months]

3.....IU7=YES AND IU7!=PAST12MO AND PAST YEAR VERSION

[PY version –hallucinogen use, but not in past 12 months]

4.....IU7=YES AND IU7=PAST12MO

[PY or LT version –hallucinogen use in past 12 months]

GO TO CKPT.IU27 *[heroin gate]*

GO TO IU26c

GO TO CKPT.IU27 *[heroin gate]*

GO TO IU26a

IU26a. How often did you use hallucinogens during the past twelve months – every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU26

1... PY version

2... LT version

GO TO CKPT.IU27

CONTINUE

IU26b. Did you ever have a 12 month period when you used hallucinogens more than you did during the past 12 months?

- ☐ Yes
- ☐ No

GO TO IU26F

IF DK/RF, GO TO IU26F

IU26c. Thinking of the year when you used hallucinogens the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
 - ☐ Nearly every day
 - ☐ 3-4 days / week
 - ☐ 1-2 days / week
 - ☐ 1-3 days / month
 - ☐ Less than once a month
 - ☐ **Never** GO TO CKPT.IU27 *[heroin gate]*
- IF DK/RF, GO TO CKPT.IU27

CKPT.IU26d

1....CKPT.IU25=4

[LT version –hallucinogen use in past 12 months]

GO TO IU26F

2.....CKPT.IU25=2

[LT version –hallucinogen use, but not in past 12 months]

GO TO IU26E

IU26e. How old were you the last time you used hallucinogens?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU26f. In how many different years did you use hallucinogens?

years

CKPT. IU27

1.....IU8!=YES

[PY or LT version –no heroin use ever]

2.....IU8=YES AND IU8!=PAST12MO AND LIFETIME VERSION

[LT version –heroin use, but not in past 12 months]

3.....IU8=YES AND IU8!=PAST12MO AND PAST YEAR VERSION

[PY version –heroin use, but not in past 12 months]

4.....IU8=YES AND IU8=PAST12MO

[PY or LT version –heroin use in past 12 months]

GO TO CKPT.IU29 *[inhalant gate]*

GO TO IU28c

GO TO CKPT.IU29 *[inhalant gate]*

GO TO IU28a

IU28a. How often did you use heroin or opium during the past twelve months – every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU28

1... PY version

2... LT version

GO TO CKPT.IU29
CONTINUE

IU28b. Did you ever have a 12 month period when you used heroin or opium more than you did during the past 12 months?

- ☐ Yes
- ☐ No **GO TO IU28F**

IF DK/RF, GO TO IU28F

IU28c. Thinking of the year when you used heroin or opium the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never **GO TO CKPT.IU29** *[inhalant gate]*

IF DK/RF, GO TO CKPT.IU29

CKPT.IU28d

1.....CKPT.IU27=4	<i>[LT version –heroin use in past 12 months]</i>	GO TO IU28F
2.....CKPT.IU27=2	<i>[LT version –heroin use, but not in past 12 months]</i>	GO TO IU28E

IU28e. How old were you the last time you used heroin or opium?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU28f. In how many different years did you use heroin or opium?

years

CKPT. IU29

1.....IU9!=YES

[PY or LT version –no inhalant use ever]

GO TO CKPT.IU31 *[other drug gate]*

2.....IU9=YES AND IU9!=PAST12MO AND LIFETIME VERSION

[LT version –inhalant use, but not in past 12 months]

GO TO IU30c

3.....IU9=YES AND IU9!=PAST12MO AND PAST YEAR VERSION

[PY version –inhalant use, but not in past 12 months]

GO TO CKPT.IU31 *[other drug gate]*

4.....IU9=YES AND IU9=PAST12MO

[PY or LT version –inhalant use in past 12 months]

GO TO IU30a

IU30a. How often did you use inhalants or solvents during the past twelve months – every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU30

1... PY version

2... LT version

**GO TO CKPT.IU31
CONTINUE**

IU30b. Did you ever have a 12 month period when you used inhalants or solvents more than you did during the past 12 months?

- ☐ Yes
- ☐ No **GO TO IU30F**

IF DK/RF, GO TO IU30F

IU30c. Thinking of the year when you used inhalants or solvents the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never **GO TO CKPT.IU31** *[other drug gate]*

IF DK/RF, GO TO CKPT.IU31

CKPT.IU30d

1....CKPT.IU29=4

[LT version –inhalant use in past 12 months]

GO TO IU30F

2....CKPT.IU29=2

[LT version –inhalant use, but not in past 12 months]

GO TO IU30E

IU30e. How old were you the last time you used inhalants or solvents?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU30f. In how many different years did you use inhalants or solvents?

years

CKPT. IU31

1.....IU10!=YES

[PY or LT version –no other drug use ever]

GO TO CKPT.IU33 [PY drug gates]

2.....IU10=YES AND IU10!=PAST12MO AND LIFETIME VERSION

[LT version –other drug use, but not in past 12 months]

GO TO IU32c

3.....IU10=YES AND IU10!=PAST12MO AND PAST YEAR VERSION

[PY version –other drug use, but not in past 12 months]

GO TO CKPT.IU33 [PY drug gates]

4.....IU10=YES AND IU10=PAST12MO

[PY or LT version –other drug use in past 12 months]

GO TO IU32a

IU32a. How often did you use any of the other drugs you specified during the past twelve months – every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
- ☐ Nearly every day
- ☐ 3-4 days / week
- ☐ 1-2 days / week
- ☐ 1-3 days / month
- ☐ Less than once a month
- ☐ Never

CKPT.IU32

1... PY version

2... LT version

**GO TO CKPT.IU33
CONTINUE**

IU32b. Did you ever have a 12 month period when you used any of the other drugs you specified more than you did during the past 12 months?

- ☐ Yes
☐ No **GO TO IU32F**

IF DK/RF, GO TO IU32F

IU32c. Thinking of the year when you used any of the other drugs you specified the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- ☐ Every day
☐ Nearly every day
☐ 3-4 days / week
☐ 1-2 days / week
☐ 1-3 days / month
☐ Less than once a month
☐ Never **GO TO CKPT.IU33** [PY drug gates]

IF DK/RF, GO TO CKPT.IU33

CKPT.IU32d

1....CKPT.IU31=4 [LT version –other drug use in past 12 months] **GO TO IU32F**
2....CKPT.IU31=2 [LT version –other drug use, but not in past 12 months] **GO TO IU32E**

IU32e. How old were you the last time you used any of the other drugs you specified?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU32f. In how many different years did you use any of the other drugs you specified?

years

CKPT. IU33

0.....((IU1a!=YES AND (IU1c!=YES OR IU1d!=YES OR IU1f!=YES)) OR ((SC26c=NotPast12Mo OR IU1b!=YES)AND (IU1e!=YES OR IU1f !=YES)))

[PY or LT version – no past year nonmedical sedative use]

1.....(IU1b=YES OR IU1f=YES) *[PY or LT version –past year nonmedical sedative use]*

CKPT. IU34

0.....((IU2a!=YES AND (IU2c!=YES OR IU2d!=YES OR IU2f!=YES)) OR ((SC26c=NotPast12Mo OR IU2b!=YES) AND (IU2e!=YES OR IU2f!=YES)))

[PY or LT version – no past year nonmedical stimulant use]

1.....(IU2b=YES OR IU2f=YES) *[PY or LT version –past year nonmedical stimulant use]*

CKPT. IU35

0.....((IU3a!=YES AND (IU3c!=YES OR IU3d!=YES OR IU3f!=YES)) OR ((SC26c=NotPast12Mo OR IU3b!=YES) AND (IU3e!=YES OR IU3f!=YES)))

[PY or LT version – no past year nonmedical analgesic use]

1.....(IU3b=YES OR IU3f=YES) *[PY or LT version –past year nonmedical analgesic use]*

CKPT. IU36

0.....(IU4!=YES OR IU4 =NotPast12Mo) *[PY or LT version – no past year marijuana use]*

1.....(IU4 =Past12Mo) *[PY or LT version –past year marijuana use]*

CKPT. IU37

0.....(IU5!=YES OR IU5 =NotPast12Mo) *[PY or LT version – no past year cocaine use]*

1.....(IU5 =Past12Mo) *[PY or LT version –past year cocaine use]*

CKPT. IU38

0.....(IU6!=YES OR IU6 =NotPast12Mo) *[PY or LT version – no past year club drug use]*

1.....(IU6 =Past12Mo) *[PY or LT version –past year club drug use]*

CKPT. IU39

0.....(IU7!=YES OR IU7 =NotPast12Mo) *[PY or LT version – no past year hallucinogen use]*

1.....(IU7 =Past12Mo) *[PY or LT version –past year hallucinogen use]*

CKPT. IU40

0.....(IU8!=YES OR IU8 =NotPast12Mo) *[PY or LT version – no past year heroin use]*

1.....(IU8 =Past12Mo) *[PY or LT version –past year heroin use]*

CKPT. IU41

- 0.....(IU9!=YES OR IU9 =NotPast12Mo) *[PY or LT version – no past year inhalant use]*
 1.....(IU9 =Past12Mo) *[PY or LT version –past year inhalant use]*

CKPT. IU42

- 0.....(IU10!=YES OR IU10 =NotPast12Mo) *[PY or LT version – no past year other drug use]*
 1.....(IU10 =Past12Mo) *[PY or LT version –past year other drug use]*

CKPT.IU43 *[PY DRUG # GATE]*

- 1.....LIFE TIME VERSION AND (RESPONSES TO CKPT.IU33 – CKPT.IU42 ALL CODED ‘0’)
[LT version –No Past 12 mo. illegal drug use] **GO TO CKPT.IU71** *[LT drug gates]*
 2.....PAST YEAR VERSION AND (Responses to CKPT.IU33 – CKPT.IU42 ALL CODED ‘0’)
[PY version –No Past 12 mo. illegal drug use] **GO TO NEXT MODULE**
 3....ONLY ONE RESPONSE TO CKPT.IU33-CKPT.IU42 CODED ‘1’
[PY or LT version –Past 12 mo. illegal drug use; one type only] **GO TO IU45_1**
 4....TWO+ RESPONSES TO CKPT.IU33-CKPT.IU42 CODED ‘1’
[PY or LT version –Past 12 mo. illegal drug use; multiple types] **GO TO IU45_1**

CKPT.IU45_1

- | | | |
|--------------------------|---|--------------------|
| 1....SC26e = Past12Mo | <i>[Past 12mo arguments/problems]</i> | GO TO IU45b |
| 2....SC26e = NotPast12Mo | <i>[No past 12 mo arguments/problems]</i> | GO TO IU47 |

	Yes	No
IU45b. You reported using <i>IUFILL10</i> during the past 12 months. The next questions are about any problems you may have had because of your use of <i>IUFILL11</i> <u>during the past 12 months</u> .	<input type="radio"/>	<input type="radio"/>

You indicated earlier in the interview that your drug use caused arguments or other serious or repeated problems with your family, friends, neighbors, or co-workers during the past 12 months. Did you continue to use even though it caused problems with these people?

IF CKPT.IU33= 1
 IUFILL10= sedatives
 IF CKPT.IU34= 1
 IUFILL10= stimulants
 IF CKPT.IU35= 1
 IUFILL10= analgesics
 IF CKPT.IU36= 1
 IUFILL10= marijuana
 IF CKPT.IU37= 1
 IUFILL10= cocaine
 IF CKPT.IU38= 1
 IUFILL10= club drugs
 IF CKPT.IU39= 1
 IUFILL10= hallucinogens
 IF CKPT.IU40= 1
 IUFILL10= heroin
 IF CKPT.IU41= 1
 IUFILL10= inhalants
 IF CKPT.IU42= 1
 IUFILL10= other drugs
 COMBINE ANY AND ALL OF THE ABOVE IF MULTIPLE '1' ANSWERS IN CKPT.IU33-CKPT.IU42
 IF CKPT.IU33-CKPT.IU42 = 1
 IUFILL11= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR
 IUID13 OR IUID14 (SEE FILLS APPENDIX)
 IF CKPT.IU33-CKPT.IU42 > 1
 IUFILL11= any of these drugs

	Yes	No
IU47. (You reported using <i>IUFILL12</i> during the past 12 months. The next questions are about any problems you may have had because of your use of <i>IUFILL15</i> during the past 12 months.)	<input type="radio"/>	<input type="radio"/>

Were you arrested or stopped by the police during the past 12 months because of driving under the influence of *IUFILL17* or because of your behavior while you were under the influence of *IUFILL18*?

IF CKPT.IU33= 1

IUFILL12= sedatives

IF CKPT.IU34= 1

IUFILL12= stimulants

IF CKPT.IU35= 1

IUFILL12= analgesics

IF CKPT.IU36= 1

IUFILL12= marijuana

IF CKPT.IU37= 1

IUFILL12= cocaine

IF CKPT.IU38= 1

IUFILL12= club drugs

IF CKPT.IU39= 1

IUFILL12= hallucinogens

IF CKPT.IU40= 1

IUFILL12= heroin

IF CKPT.IU41= 1

IUFILL12= inhalants

IF CKPT.IU42= 1

IUFILL12= other drugs

COMBINE ANY AND ALL OF THE ABOVE IF MULTIPLE '1' ANSWERS IN CKPT.IU33-CKPT.IU42

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL15= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL15= any of these drugs

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL17= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL17= any of these drugs

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL18= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL18= any of these drugs

CKPT.IU48.

1.....IU45b!=YES AND IU47!=YES AND SC26d=NotPast12Mo AND SC26f=NotPast12Mo

[PY or LT version - Past 12 mo. drug use but has 0 abuse symptoms]

GO TO CKPT.IU54_1

2....((ONE RESPONSE CODED '1' in IU45b, IU47) AND SC26d=NotPast12Mo AND SC26f=NotPast12Mo) OR
((ONE RESPONSE CODED 'Past12Mo' in SC26d,SC26f) AND IU45b!=Yes AND IU47!=Yes)

[PY or LT version - Past 12 mo. drug use & has 1 abuse symptom]

GO TO IU49Intro1

3.... (IU45b=YES AND IU47=YES AND SC25d=NotPast12Mo AND SC25f=NotPast12Mo) OR (IU45b=YES
AND IU47!=YES AND SC25d=Past12Mo AND SC25f=NotPast12Mo) OR (IU45b=YES AND IU47!=YES AND
SC25d=NotPast12Mo AND SC25f=Past12Mo) OR (IU45b!=YES AND IU47=YES AND SC25d=Past12Mo AND
SC25f=NotPast12Mo) OR (IU45b!=YES AND IU47=YES AND SC25d=NotPast12Mo AND SC25f=Past12Mo)
OR (IU45b!=YES AND IU47!=YES AND SC25d=Past12Mo AND SC25f=Past12Mo) *[PY or LT version - Past
12 mo. drug use & has 2 abuse symptoms]*

GO TO IU49Intro2

4..... (IU45b=YES AND IU47=YES AND SC25d=Past12Mo AND SC25f=NotPast12Mo) OR (IU45b=YES AND
IU47=YES AND SC25d=NotPast12Mo AND SC25f=Past12Mo) OR (IU45b=YES AND IU47!=YES AND
SC25d=Past12Mo AND SC25f=Past12Mo) OR (IU45b!=YES AND IU47=YES AND SC25d=Past12Mo AND
SC25f=Past12Mo) OR (IU45b=YES AND IU47=YES AND SC25d=Past12Mo AND SC25f=Past12Mo) *[PY or
LT version - Past 12 mo. drug use & has >2 abuse symptoms]*

GO TO IU49Intro2

IU49Intro1. You reported that during the past 12 months, your use *IUFILL19*. How old were you the
very first time you had this problem?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF SC26d= Past12Mo

IUFILL19= interfered with your work

IF IU45b= 1

IUFILL19= caused problems with family or friends

IF SC26f= Past12Mo

IUFILL19= occurred in situations where you could have gotten hurt

IF IU47= 1

IUFILL19= resulted in problems with the police

years old

ALL GO TO IU50

IU49Intro2. You reported that during the past 12 months your use *IUFILL20*. How old were you the very first time you had *IUFILL21* of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF SC26d= Past12Mo

IUFILL20= interfered with your work

IF IU45b= 1

IUFILL20= caused problems with family or friends

IF SC26f= Past12Mo

IUFILL20= occurred in situations where you could have gotten hurt

IF IU47= 1

IUFILL20= resulted in problems with the police

COMBINE ANY AND ALL OF THE ABOVE IF MULTIPLE '1' RESPONSES

IF CKPT.IU48= 3

IUFILL21= either

IF CKPT.IU48= 4

IUFILL21= any

years old

IU50. How recently did you have *IUFILL22* because of your *IUFILL23* use – within the past 30 days, two to six months ago, or more than six months ago?

IF CKPT.IU48=2

IUFILL22= this problem

IF CKPT.IU48=3

IUFILL22= either of these problems

IF CKPT.IU48=4

IUFILL22= any of these problems

IF CKPT.IU33= 1

IUFILL23= sedative

IF CKPT.IU34= 1

IUFILL23= stimulant

IF CKPT.IU35= 1

IUFILL23= analgesic

IF CKPT.IU36= 1

IUFILL23= marijuana

IF CKPT.IU37= 1

IUFILL23= cocaine

IF CKPT.IU38= 1

IUFILL23= club drug

IF CKPT.IU39= 1

IUFILL23= hallucinogen

IF CKPT.IU40= 1

IUFILL23= heroin

IF CKPT.IU41= 1

IUFILL23= inhalant

IF CKPT.IU42= 1

IUFILL23= other drug

IF CKPT.IU33-CKPT.43 > 1

IUFILL23= drug

- ☐ Within the past 30 days
- ☐ 2 to 6 months ago
- ☐ More than 6 months ago

IU51. About how many different years in your life did you ever have *IUFILL24*?

IF CKPT.IU48=2

IUFILL24= this problem

IF CKPT.IU48=3 OR 4

IUFILL24= any of these problems

years

CKPT.IU54_1

1....SC26i = Past12Mo

[Past 12mo withdrawal symptoms]

2....SC26i = NotPast12Mo

[No past 12 mo withdrawal symptoms]

GO TO GRID SCREEN 2

GO TO IU54

	Yes	No
IU54. The next questions are about some other problems you may have had because of your use of <i>IUFILL25</i> during <u>the past 12 months</u> .	<input type="radio"/>	<input type="radio"/>

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL25= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR
IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14
(SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL25= any of these drugs

Earlier, you indicated that you have not had times during the past 12 months when you stopped, cut down, or went without using drugs and then experienced withdrawal symptoms. During the past 12 months, did you have times when you used *IUFILL28* to keep from having problems like these?

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL28= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR
IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14
(SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL28= any of these drugs

[GRID SCREEN 2]

(The next questions are about some other problems you may have had because of your use of *IUFILL31* during the past 12 months.)

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL31=IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR
IUID13 OR IUID14

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL31= any of these drugs

	Yes	No
IU56. During the past 12 months, were there times when you used <i>IUFILL30</i> more frequently or for <u>more days in a row</u> than you intended?	<input type="radio"/>	<input type="radio"/>

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL30= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR
IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF -CKPT.IU33-CKPT.IU42 > 1

IUFILL30= any of these drugs

IU58. (During the past 12 months) did you have periods of several days or more when you spent so much time using or recovering from the effects of *IUFILL33* that you had little time for anything else?

☐☐

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL32= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL32= any of these drugs

IU59. (During the past 12 months) did you have a time when you gave up or greatly reduced important activities because of your use of *IUFILL34*— like sports, work, or seeing friends and family?

☐☐

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL33= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF -CKPT.IU33-CKPT.IU42 > 1

IUFILL33= any of these drugs

IU60. (During the past 12 months) did you continue to use *IUFILL35* when you knew you had a serious physical or emotional problem that might have been caused by or made worse by using?

☐☐

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL34= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL34= any of these drugs

CKPT.IU61A

0...SC26i=NotPast12Mo and IU54!=YES [does not meet withdrawal criterion past 12 mo.]

1... SC26i=Past12Mo or IU54=1 [meets withdrawal criterion past 12 mo.]

CKPT.IU61B

0...SC26j=NotPast12mo AND IU56!=YES

[does not meet “more than intended” criterion past 12 mo.]

1...SC26j=Past12Mo OR IU56=1

[meets “more than intended” criterion past 12 mo.]

CKPT.IU61C

1.....PAST YEAR VERSION AND (ZERO RESPONSES CODED '1' in IU54,IU56,IU58-IU60) AND (ZERO RESPONSES CODED 'Past12Mo' in SC26h,SC26i,SC26j,SC26k) AND CKPT.IU48=1 [PY
version - Past 12 mo. illegal drug use but has 0 abuse & 0 dep. symps past 12 mo.] **GO TO NEXT MODULE**

MODULE

2.....LIFETIME VERSION AND (ZERO RESPONSES CODED '1' in IU54,IU56,IU58-IU60) AND (ZERO RESPONSES CODED 'Past12Mo' in SC26h,SC26i,SC26j,SC26k) AND CKPT. IU48=1 [LT
version - Past 12 mo. illegal drug use but has 0 abuse & 0 dep. symps past 12 mo.] **GO TO CKPT.IU71 [LT gate]**

3..... (ZERO RESPONSES CODED '1' in IU54,IU56,IU58-IU60) AND (ZERO RESPONSES CODED 'Past12Mo' in SC26h,SC26i,SC26j,SC26k) AND CKPT. IU48>1 [PY or LT version - Past 12 mo. illegal drug use & qualifies for past 12 mo. abuse but has 0 dep. symps past 12 mo.] **GO TO IU68A [more 12 mo Qs]**

4.....((ONE RESPONSE CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND ZERO RESPONSES CODED 'Past12Mo' in SC26h,SC26k) OR (ZERO RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND ONE RESPONSE CODED 'Past12Mo' in SC26h,SC26k)) AND CKPT. IU48=1 [PY or LT version - Past 12 mo. illegal drug use but has 0 12 mo. abuse symptoms; subclinical dependence past 12 mo.] **GO TO IU62Intro1**

5.....((ONE RESPONSE CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND ZERO RESPONSES CODED 'Past12Mo' in SC26h,SC26k) OR (ZERO RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND ONE RESPONSE CODED 'Past12Mo' in SC26h,SC26k)) AND CKPT. IU48>1 [PY or LT version - Past 12 mo. illegal drug use & qualifies for past 12 mo. abuse; subclinical dependence past 12 mo.] **GO TO IU62Intro1**

6.....((TWO RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND ZERO RESPONSES CODED 'Past12Mo' in SC26h,SC26k) OR (ZERO RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND SC26h=Past12Mo AND SC26k=Past12Mo) OR (ONE RESPONSE CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND ONE RESPONSE CODED 'Past12Mo' in SC26h,SC26k)) AND CKPT. IU48=1 [PY or LT version - Past 12 mo. illegal drug use but has 0 12 mo. abuse symptoms; subclinical dependence past 12 mo.] **GO TO IU62Intro2**

7.....((TWO RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND ZERO RESPONSES CODED 'Past12Mo' in SC26h,SC26k) OR (ZERO RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND SC26h=Past12Mo AND SC26k=Past12Mo) OR (ONE RESPONSE CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND ONE RESPONSE CODED 'Past12Mo' in SC26h,SC26k)) AND CKPT. IU48>1 [PY or LT version - Past 12 mo. illegal drug use & qualifies for past 12 mo. abuse; subclinical dependence past 12 mo.] **GO TO IU62Intro2**

8..... ((>2 RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60) OR (TWO RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND (SC26h=Past12Mo OR SC26k=Past12Mo)) OR (ONE RESPONSE CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND (SC26h=Past12Mo AND SC26k=Past12mo)) AND CKPT. IU48=1 [PY or LT version - Past 12 mo. illegal drug use but has 0 12 mo. abuse symptoms; qualifies for dependence past 12 mo.] **GO TO IU62Intro2**

9.....((>2 RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60) OR (TWO RESPONSES CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND (SC26h=Past12Mo OR SC26k=Past12Mo)) OR (ONE RESPONSE CODED '1' in CKPT.IU61A,CKPT.IU61B,IU58-IU60 AND (SC26h=Past12Mo AND SC26k=Past12mo)) AND CKPT. IU48>1 [PY or LT version - Past 12 mo. illegal drug use & qualifies for past 12 mo. abuse & dependence] **GO TO IU62Intro2**

IU62Intro1. You reported that during the past 12 months *IUFILL36*. How old were you the very first time you had this problem?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF SC26h=Past12Mo

IUFILL36= you needed larger amounts to get an effect

IF SC26i=Past12Mo

IUFILL36= you experienced withdrawal symptoms

IF IU54= 1

IUFILL36= you used to keep from feeling physical problems

IF SC26j= Past12Mo

IUFILL36= you used when you planned not to, or you used more than you planned

IF IU56= 1

IUFILL36= you used more frequently than you intended

IF SC26k=Past12Mo

IUFILL36= you tried but weren't able to stop or cut down using

IF IU58= 1

IUFILL36= you spent periods of several days doing little more than using or getting over the effects of using

IF IU59= 1

IUFILL36= you gave up or reduced important activities because of your use

IF IU60= 1

IUFILL36= you continued to use even though it caused or worsened physical or emotional problems

ALL GO TO IU63 years old

IU62Intro2. You reported having a number of other drug use problems during the past 12 months, including *IUFILL64*. How old were you the very first time you had any of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF SC26h=Past12Mo

IUFILL64= you needed larger amounts to get an effect

IF SC26i=Past12Mo

IUFILL64= you experienced withdrawal symptoms

IF IU54= 1

IUFILL64= you used to keep from feeling physical problems

IF SC26j= Past12Mo

IUFILL64= you used when you planned not to, or you used more than you planned

IF IU56= 1

IUFILL64= you used more frequently than you intended

IF SC26k=Past12Mo

IUFILL64= you tried but weren't able to stop or cut down using

IF IU58= 1

IUFILL64= you spent periods of several days doing little more than using or getting over the effects of using

IF IU59= 1

IUFILL64= you gave up or reduced important activities because of your use

IF IU60= 1

IUFILL64= you continued to use even though it caused or worsened physical or emotional problems

COMBINE UP TO 3 OF THE ABOVE IF MULTIPLE '1' ANSWERS IN SC26h-k, IU54- IU60

years old

IU63. How recently did you have *IUFILL37*– within the past 30 days, two to six months ago, or more than six months ago?

IF CKPT.IU48=2

IUFILL37= this problem

IF CKPT.IU48=3 or 4

IUFILL37= any of these problems

- ☐ Within the past 30 days
- ☐ 2 to 6 months ago
- ☐ More than 6 months ago

CKPT.IU64.

1.....CKPT.IU61C=8 or 9

[qualifies for past 12 mo. drug dependence]

GO TO IU65 *[12 mo cluster]*

2..... CKPT.IU61C=4,5,6, OR 7

[subclinical for past 12 mo. drug dependence]

GO TO IU68

IU65. How old were you the first time you had three or more of these problems during the same 12-month period?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU66. How recently did you have three or more of these problems – within the past 30 days, two to six months ago, or more than six months ago?

☐ Within the past 30 days

☐ 2 to 6 months ago

☐ More than six months ago

IU67. About how many different years in your life did you ever have three or more of these problems?

years

[GRID SCREEN 3]

IU68. Think about the time lasting one month or longer during the past 12 months when you were using *IUFILL38* the most. Using a 0 to 10 scale, where 0 means no interference and 10 means very severe interference, what number describes how much using *IUFILL39* interfered with each of the following activities during that time?

(IF NEC: How much did your drug use interfere with (ACTIVITY) during that period?)

(IF NEC: You can use any number between 0 and 10 to answer.)

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL38 and *IUFILL39*= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL38 and *IUFILL39*= any of these drugs

	No interference	Mild			Moderate			Severe			Very severe interference
	0	1	2	3	4	5	6	7	8	9	10
a. Your home management, like cleaning, shopping, and taking care of the house or apartment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Your ability to work?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Your ability to form and maintain close relationships with other people?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Your social life?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

CKPT.IU69

1.....LIFETIME VERSION AND ALL RESPONSES to IU68a-IU68d CODED '0'/998/999

[LT version - no past 12 mo interference]

GO TO CKPT.IU71 [LT gate]

2...PAST YEAR VERSION AND ALL RESPONSES TO IU68a-IU68d CODED '0'/998/999

[PY version - no past 12 mo interference]

GO TO IU105A [Tx Qs]

3.....ALL OTHERS

[PY or LT version – some interference]

GO TO IU70

IU70. About how many days out of 365 during the past 12 months were you totally unable to work or carry out your normal activities because of your use of *IUFILL40*?

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL40= IUID5 OR IUID6 OR IUID7 OR IUID8 OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL40 = any of these drugs

days

CKPT.IU71

- 1.... PAST YEAR VERSION *[PY version – Past 12 mo. illegal drug use; at least one symptom of abuse or dependence]* **GO TO IU105A [Tx Qs]**
- 2.... LIFETIME VERSION AND IU61C=9 *[LT version –qualifies for past 12 mo. abuse & dependence]* **GO TO IU105A [Tx Qs]**
- 3.... ALL OTHERS *[LT version – does not qualify for both past 12 mo. abuse & past 12 mo. dependence]* **GO TO CKPT.IU72**

CKPT. IU72

- 0.....IU1a!=YES AND (IU1c!=YES OR IU1d!=YES) *[LT version – no nonmedical sedative use]*
- 1.....IU1a=Yes OR IU1d=Yes *[LT version –nonmedical sedative use]*

CKPT. IU73

- 0.....IU2a!=YES AND (IU2c!=YES OR IU2d!=YES) *[LT version – no nonmedical stimulant use]*
- 1.....IU2a=Yes OR IU2d=Yes *[LT version –nonmedical stimulant use]*

CKPT. IU74

- 0.....IU3a!=YES AND (IU3c!=YES OR IU3d!=YES) *[LT version – no nonmedical analgesic use]*
- 1.....IU3a=Yes OR IU3d=Yes *[LT version –nonmedical analgesic use]*

CKPT.IU75

- 1.....LIFE TIME VERSION AND (RESPONSES TO CKPT.IU72 – CKPT.IU74 ALL CODED ‘0’) AND (RESPONSES TO IU4 – IU10 ALL CODED ‘No/dk/r ’) *[LT version –No illegal drug use]* **GO TO NEXT MODULE**
- 2....ONLY ONE RESPONSE TO CKPT.IU72 – CKPT.IU74, IU4 – IU10 CODED ‘1’
[LT version –illegal drug use; one type only; does not qualify for both past year abuse & dependence] **GO TO CKPT.IU76**
- 3....TWO+ RESPONSES TO CKPT.IU72 – CKPT.IU74, IU4 – IU10 CODED ‘1’
[LT version –illegal drug use; multiple types does not qualify for both past year abuse & dependence] **GO TO CKPT.IU76**

CKPT.IU76

- 1....IU14B=1 OR IU16B=1 OR IU18B=1 OR IU20B=1 OR IU22B=1 OR IU24B=1 OR IU26B=1 OR IU28B=1 OR IU30B=1 OR IU32B=1 *[LT version –illegal drug use; greater use in lifetime than in past 12 months]* **GO TO CKPT.IU78**
- 2... ALL OTHERS *[LT version –illegal drug use; no indication of greater lifetime use than in past 12 months]* **GO TO IU77**

IU77. Was there ever a time in your life when the problems associated with your drug use IU41, were more intense or frequent than during the past 12 months?

IF (SC26d,SC26f=at least 1 'Past12Mo' response OR IU45b, IU47= at least 1 '1' response)

AND IF (SC26h,SC26i,SC26j,SC26k=at least 1 'Past12Mo' response OR IU54,IU56,IU58-IU60= at least 1 '1' response)

IUFILL41= ,such as FIRST KEY PHRASE OF (SC26d,SC26f,IU45b,IU47), and FIRST KEY PHRASE OF (SC26h,SC26i,SC26j,SC26k, IU54,IU56,IU58-IU60)

IF (SC26d,SC26f=at least 1 'Past12Mo' response OR IU45b, IU47= at least 1 '1' response)

AND IF SC26h,SC26i,SC26j,SC26k=0 'Past12Mo' responses AND IU54,IU56,IU58-IU60= 0 '1' response

IUFILL41= ,such as FIRST KEY PHRASE OF (SC26d,SC26f,IU45b,IU47)

IF (SC26d,SC26f=0 'Past12Mo' response AND IU45b, IU47= 0 '1' response)

AND IF (SC26h,SC26i,SC26j,SC26k=at least 1 'Past12Mo' response OR IU54,IU56,IU58-IU60= at least 1 '1' response)

IUFILL41= ,such that FIRST KEY PHRASE OF (SC26h,SC26i,SC26j,SC26k, IU54,IU56,IU58-IU60)

IF (SC26d,SC26f=0 'Past12Mo' response AND IU45b, IU47= 0 '1' response)

AND IF SC26h,SC26i,SC26j,SC26k=0 'Past12Mo' responses AND IU54,IU56,IU58-IU60= 0 '1' response

IUFILL41= BLANK

☐ Yes

☐ No

CKPT.IU78

1....IU77!=YES AND CKPT.IU43=1

past 12 months; no drug use past 12 months]

[LT version – lifetime problems not more severe than

GO TO NEXT MODULE

2....IU77=NO AND CKPT. IU61c=2

months; drug use past 12 months but no past 12 mo abuse or dependence symptoms]

[LT version – lifetime problems not more severe than past 12

GO TO NEXT MODULE

3....IU77!=YESf AND CKPT. IU61c=3,4,5,6,7or8

past 12 months; some past 12 mo abuse or dependence symptoms]

[LT version – lifetime problems not more severe than

GO TO IU105A [Tx Qs]

4....(IU77=YES OR CKPT.IU76=1) AND CKPT.IU43=1

severe than past 12 months(or lifetime prescription drug misuse); no drug use past 12 months]

[LT version – lifetime use or problems more

GO TO CKPT.IU80_1 [LT abuse Qs]

5....(IU77=YES OR CKPT.IU76=1) AND CKPT. IU61c=2

severe than past 12 months(or lifetime prescription drug misuse); but 0 past 12 mo abuse or dependence

[LT version – lifetime use or problems more

symptoms]

GO TO CKPT.IU80_1[LT abuse Qs]

6....(IU77=YES OR CKPT.IU76=1) AND CKPT. IU61c=4or6

severe than past 12 months(or lifetime prescription drug misuse); 0 12 mo abuse symptoms; subclinical

[LT version – lifetime use or problems more

dependence past 12 mo]

GO TO CKPT.IU80_1 [LT abuse Qs]

7....(IU77=YES OR CKPT.IU76=1) AND CKPT. IU61c=8

severe than past 12 months(or lifetime prescription drug misuse); 0 12 mo abuse symptoms; qualifies for

[LT version – lifetime use or problems more

dependence past 12 mo]

GO TO CKPT.IU80_1 [LT abuse Qs]

8....(IU77=YES OR CKPT.IU76=1) AND CKPT. IU61c=3

severe than past 12 months(or lifetime prescription drug misuse); qualifies for past 12 mo abuse; 0 past

[LT version – lifetime use or problems more

12 mo dependence symptoms]

GO TO CKPT.IU90_1[LT dep Qs]

9....(IU76=YES OR CKPT.IU76=1) AND CKPT. IU61c=5or7

severe than past 12 months(or lifetime prescription drug misuse); qualifies for past 12 mo abuse;

[LT version – lifetime use or problems more

subclinical dependence past 12 mo]

GO TO CKPT.IU90_1[LT dep Qs]

CKPT.IU80_1

1....SC26e=Yes

*[Lifetime arguments or problems]***GO TO IU80b**

1....SC26e!=Yes

*[Lifetime no arguments or problems]***GO TO IU82**

	Yes	No
IU80b. You reported using <i>IUFILL42</i> . The next questions are about any problems you may have had because of your use of <i>IUFILL43</i> .	<input type="radio"/>	<input type="radio"/>

You indicated earlier in the interview that your drug use caused arguments or other serious or repeated problems with your family, friends, neighbors, or co-workers. Did you continue to use even though it caused problems with these people?

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL42&IUFILL43= IUID5 OR IUID6 OR IUID7 OR IUID8
OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR
IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL42&IUFILL43= any of these drugs

	Yes	No
<i>IU82</i> . Were you ever arrested or stopped by the police because of driving under the influence of <i>IUFILL45</i> or because of your behavior while you were under the influence of <i>IUFILL46</i> ?	<input type="radio"/>	<input type="radio"/>

IF CKPT.IU33-CKPT.IU42 = 1

IUFILL45and IUFILL46= IUID5 OR IUID6 OR IUID7 OR IUID8
OR IUID9 OR IUID10 OR IUID11 OR IUID12 OR IUID13 OR
IUID14 (SEE FILLS APPENDIX)

IF CKPT.IU33-CKPT.IU42 > 1

IUFILL45 and IUFILL46= any of these drugs

CKPT.IU83.

1..... (ZERO RESPONSES CODED '1' in SC26d,SC26f, IU80b ,IU82) AND (CKPT.IU78 = 7)

[LT version – Has no lifetime or past 12 month symptoms of abuse but qualified for past 12 mo. dependence]

GO TO IU105A [Tx Qs]

2..... (ZERO RESPONSES CODED '1' in SC26d,SC26f, IU80b ,IU82) AND (CKPT.IU78 = 4,5,or6)

[LT version – Has no lifetime or past 12 month symptoms of abuse and did not qualify for past 12 month dependence]

GO TO CKPT.IU90_1 [LT dep Qs]

3..... ONE RESPONSE CODED '1' in SC26d,SC26f, IU80b ,IU82

*[LT version - Has 1 lifetime abuse symptom]***GO TO IU84Intro1**

4.... TWO RESPONSES CODED '1' in SC26d,SC26f, IU80b ,IU82

*[LT version - Has 2 lifetime abuse symptoms]***GO TO IU84Intro2**

5..... > TWO RESPONSES CODED '1' in SC26d,SC26f, IU80b ,IU82

*[LT version - Has >2 lifetime abuse symptoms]***GO TO IU84Intro2**

IU84Intro1. You reported that your use IUFILL47. How old were you the very first time you had this problem?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF SC26d= Yes

IUFILL47= interfered with your work

IF IU80b= 1

IUFILL47=caused problems with friends or family

IF SC26f= Yes

IUFILL47= occurred in situations where you could've gotten hurt

IF IU82= 1

IUFILL47= resulted in problems with the police

years old

ALL GO TO IU85

IU84Intro2. You reported that your use IUFILL48. How old were you the very first time you had IUFILL49 of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF SC26d= Yes

IUFILL48= interfered with your work

IF IU80b= 1

IUFILL48= caused problems with friends or family

IF SC26f= Yes

IUFILL48= occurred in situations where you could've gotten hurt

IF IU82= 1

IUFILL48= resulted in problems with the police

COMBINE ANY AND ALL OF THE ABOVE IF MULTIPLE '1' RESPONSES

IF CKPT.IU83= 4

IUFILL49= either

IF CKPT.IU83= 5

IUFILL49= any

years old

IU85. How old were you the last time you had IUFill49?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF CKPT.IU83=4

IUFILL49 = this problem

IF CKPT.IU83=4

IUFILL49= either of these problems

IF CKPT.IU83=5

IUFILL49= any of these problems

years old

IU86. About how many different years in your life did you ever have IUFill50?

IF CKPT.IU83=4

IUFILL50 = this problem

IF CKPT.IU83=4

IUFILL50= either of these problems

IF CKPT.IU83=5

IUFILL50= any of these problems

years

CKPT.IU87

1...CKPT.IU78=7

[LT version –Qualifies for dependence past 12 mo.]

2...ALL OTHERS

GO TO IU105A [Tx Qs]

GO TO CKPT.IU90_1

CKPT.IU90_1

1....SC26i = Yes

[withdrawal symptoms]

2....SC26i != Yes

[No withdrawal symptoms]

GO TO GRID SCREEN 4

GO TO IU90

	Yes	No
IU90. The next questions are about some <i>IUFILL51</i> problems you may have had because of your use of <i>IUFILL54</i> .	<input type="radio"/>	<input type="radio"/>
Earlier, you indicated that you have <u>never</u> had times when you stopped, cut down, or went without using drugs and then experienced withdrawal symptoms. Did you ever have times when used <i>IUFILL54</i> to keep from having problems like these?		
IF CKPT.IU83= 2/EMPTY IUFILL51= empty		
IF CKPT.IU83= 3/4/5 IUFILL51= other		
IF CKPT.IU43=3 IUFILL54= this drug		
IF CKPT.IU43=4 IUFILL54= any of these drugs		

[GRID SCREEN 4]

(The next questions are about some *IUFILL51* problems you may have had because of drug use in your lifetime.)

IF CKPT.IU83= 2/EMPTY
IUFILL51= empty

IF CKPT.IU83= 3/4/5
IUFILL51= other

	Yes	No
IU92. Were there ever times when you used <i>IUFILL56</i> more frequently or for more days in a row than you intended?	<input type="radio"/>	<input type="radio"/>
IF CKPT.IU43=3 IUFILL55= this drug		
IF CKPT.IU43=4 IUFILL55= any of these drugs		
IU94. Did you ever have periods of several days or more when you spent so much time using or recovering from the effects of <i>IUFILL59</i> that you had little time for anything else?	<input type="radio"/>	<input type="radio"/>
IF CKPT.IU43=3 IUFILL59= this drug		
IF CKPT.IU43=4 IUFILL59= any of these drugs		
IU95. Did you ever have a time when you gave up or greatly reduced important activities because of your use of <i>IUFILL60</i> – like sports, work, or seeing friends and family?	<input type="radio"/>	<input type="radio"/>
IF CKPT.IU43=3 IUFILL60= this drug		
IF CKPT.IU43=4 IUFILL60= any of these drugs		

IU96. Did you ever continue to use IUFILL61 when you knew you had a serious physical or emotional problem that might have been caused by or made worse by using?

IF CKPT.IU43=3

IUFILL61= this drug

IF CKPT.IU43=4

IUFILL61= any of these drugs

CKPT.IU97A

0...SC26i!=YES and IU90!=YES *[does not meet withdrawal criterion lifetime]*

1... SC26i=Yes or IU90=Yes *[meets withdrawal criterion lifetime]*

CKPT.IU97B

0...SC26j!=YES and IU92!=YES *[does not meet "more than intended" criterion lifetime]*

1... SC26j=yes or IU92=yes *[meets "more than intended" criterion past lifetime]*

CKPT.IU97C.

1..... ZERO RESPONSES CODED 'Yes' in SC26h-SC26k,IU90,IU92,IU94-IU96 AND CKPT.IU83=2 AND

CKPT.IU78=4OR 5

[LT version – no abuse or dependence symptoms

in lifetime or past 12 months]

GO TO NEXT MODULE

2..... ZERO RESPONSES CODED 'Yes' in SC26h-SC26kIU90,IU92,IU94-IU96 AND ((CKPT.IU83=3,4, OR 5) OR (CKPT.IU48=2,3, OR 4) OR (CKPT.IU61C = 4,5,6,7,8 OR 9) OR (CKPT.IU78=6,7,8,9)

[LT version – no dependence symptoms in lifetime but abuse symptoms in lifetime or abuse or dependence symptoms in past 12 months]

GO TO IU105A [Tx Qs]

3.... (ONE RESPONSE CODED 'Yes' in SC26h,SC26k, IU94-IU96,CKPT.IU97a,CKPT.IU97b) AND

CKPT.IU78=4,5, OR 8

[LT version – subclinical dependence in lifetime;

no dependence symptoms in past 12 months]

GO TO IU98Intro1

4.... (ONE RESPONSE CODED 'Yes' in SC26h,SC26k IU94-IU96,CKPT.IU97a,CKPT.IU97b) AND CKPT.IU78=6

OR 9

[LT version – subclinical dependence in lifetime;

subclinical dependence in past 12 months]

GO TO IU105A [Tx Qs]

5.... (TWO RESPONSES CODED 'Yes' in SC26h,SC26k IU94-IU96,CKPT.IU97a,CKPT.IU97b) AND

CKPT.IU78=4,5, OR 8

[LT version – subclinical dependence in lifetime;

no dependence symptoms in past 12 months]

GO TO IU98Intro2

6.... (TWO RESPONSES CODED 'Yes' in SC26h,SC26k IU94-IU96,CKPT.IU97a,CKPT.IU97b) AND

CKPT.IU78=6 OR 9

[LT version – subclinical dependence in lifetime;

subclinical dependence in past 12 months]

GO TO IU105A [Tx Qs]

7.... (>2 RESPONSES CODED 'Yes' in SC26h,SC26k IU94-IU96,CKPT.IU97a,CKPT.IU97b) AND

CKPT.IU78=4,5, OR 8

[LT version – qualifies for dependence in

lifetime; no dependence symptoms in past 12 months]

GO TO IU98Intro2

8.... (>2 RESPONSES CODED 'Yes' in SC26h,SC26k IU94-IU96,CKPT.IU97a,CKPT.IU97b) AND CKPT.IU78=6

OR 9

[LT version – qualifies for dependence in

lifetime; subclinical dependence in past 12 months]

GO TO IU101 [LT cluster Qs]

IU98Intro1. You reported that IU98Intro1. How old were you the very first time you had this problem?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF SC26h=yes

IUFILL62= you needed larger amounts to get an effect

IF SC26i=yes

IUFILL62= you experienced withdrawal symptoms

IF IU90= 1

IUFILL62= you used to keep from feeling physical problems

IF SC26j=yes

IUFILL62= you used when you planned not to, or you used more than you planned

IF IU92= 1

IUFILL62= you used more frequently than you intended

IF SC26k=yes

IUFILL62= you tried but weren't able to stop or cut down using

IF IU94= 1

IUFILL62= you spent periods of several days doing little more than using or getting over the effects of using

IF IU95= 1

IUFILL62= you gave up or reduced important activities because of your use

IF IU96= 1

IUFILL62= you continued to use even though it caused or worsened physical or emotional problems

years old

ALL GO TO IU99

IU98Intro2. You reported having a number of other problems. How old were you the very first time you had any of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU99. How old were you the last time you had IUFill63 because of your use?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

IF IU97c= 3

IUFILL63= this problem

IF IU97c= 5

IUFILL63= either of these problems

IF IU97c= 7

IUFILL63= any of these problems

years old

CKPT.IU100.

1.....CKPT.IU97C=7 OR 8

2..... CKPT.IU97C=3,4,5, OR 6

GO TO IU101

GO TO IU105A [Tx Qs]

IU101. Did you ever have three or more of these problems during the same 12-month period?

☐ Yes

☐ No **GO TO IU105A**

IF DK/RF, GO TO IU105A

IU102. How old were you the first time you had three or more of these problems during the same 12-month period?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU103. How old were you the last time you had three or more of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU104. About how many different years in your life did you ever have three or more of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

years

IU105a. Did you ever in your life talk to a medical doctor or other professional about your drug use? (By professional we mean psychologists, counselors, spiritual advisors, herbalists, acupuncturists, and other healing professionals.)

☐ Yes

☐ No GO TO IU108a

IF DK/RF, GO TO IU108A

IU105b. How old were you the first time (you talked to a professional about your drug use)

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

CKPT.IU105b_1

1....LT version

CONTINUE

2....PY version

GO TO IU107

IU105c. How many professionals did you ever talk to about your drug use?

professionals

IU106a. Did you ever get treatment for your drug use that you considered helpful or effective?

☐ Yes

☐ No GO TO IU107

IF DK/RF, GO TO IU107

IU106b. How old were you the first time (you got helpful treatment for your drug use)?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997)

years old

IU107. Did you receive professional treatment for your drug use at any time during the past 12 months?

☐ Yes

☐ No

IU108a. Were you ever hospitalized overnight for your drug use?

☐ Yes

☐ No GO TO IU109a

IF DK/RF, GO TO IU109A

IU108b. How old were you the first time you were hospitalized overnight because of your drug use?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?"

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997)

years old

IU109a. Did you ever go to a self-help group like Narcotics Anonymous for help with your drug use?

- ☐ Yes
☐ No **GO TO IU110**

IF DK/RF, GO TO IU110

IU109b. How old were you the first time (you went to a self-help group of this sort)?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt "About how old were you?

If still unsure or "as long as I can remember", prompt: "Was it before your teens?"

If yes, enter '12';

if no, prompt "Was it before your twenties?"

If yes, enter '19'

if no, enter '20')

(IF VOL "NEVER" CODE 997]

years old

IU109c. How many meetings of such a group did you attend during the past 12 months?

meetings

IU110. How many of your close relatives -- including your biological parents, brothers and sisters, and children -- ever had problems with drug use?

number

Fills Appendix

IUID1= you used sedatives or tranquilizers non-medically
IUID2= your use of sedatives or tranquilizers was so regular that you felt you could not stop using
IUID3= non-medically
IUID4= so regularly that you felt you could not stop using
IUID5= sedatives
IUID6= stimulants
IUID7= analgesics
IUID8= marijuana
IUID9= cocaine
IUID10= club drugs
IUID11= hallucinogens
IUID12= heroin
IUID13= inhalants
IUID14= other drugs
IUID15= this drug
IUID16= any of these drugs
IUID17= interfered with your work
IUID18= caused problems with family or friends
IUID19= occurred in situations where you could have gotten hurt
IUID20= resulted in problems with the police
IUID21= either
IUID22= any
IUID23= either of these problems
IUID24= any of these problems
IUID25= drug
IUID26= sedative
IUID27= stimulant
IUID28= analgesic
IUID29= club drug
IUID30= hallucinogen
IUID31= inhalant
IUID32= other drug
IUID33= this problem
IUID34= you needed larger amounts to get an effect
IUID35= you experienced withdrawal symptoms
IUID36= you used to keep from feeling physical problems
IUID37= you used when you planned not to, or you used more than you planned
IUID38= you used more frequently than you intended
IUID39= you tried but weren't able to stop or cut down using
IUID40= you spent periods of several days doing little more than using or getting over the effects of using
IUID41= you gave up or reduced important activities because of your use
IUID42= you continued to use even though it caused or worsened physical or emotional problems
IUID43= other
IUID44= ,such as
IUID45=