

Legend

Blue: interviewer instructions (not to be read aloud)

Gray: rules and gating

Green: lifetime version questions

CARS is adapted from the <u>Composite International</u> Diagnostic Instrument (CIDI) for DSM-IV.

Alcohol Use

MODULE ENTRY: ONE OR MORE 'YES' RESPONSES in SC25d - SC25k

12 MO ENTRY: ONE OR MORE 'YES' RESPONSES in SC25d_1 - SC25k_1

AU1. The next questions are about your use of alcoholic beverages, including beer, wine, wine coolers, and hard liquor like vodka, gin or whiskey. How old were you the very <u>first</u> time you ever drank an alcoholic beverage?

[INTERVIEWER: If you are unsure, use the <u>table</u> as a guide for the next questions.]

[If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.]

years old

AU2. When I use the word "drink" in the next questions, I mean either a glass of wine, a can or bottle of beer, or A shot or jigger of liquor either alone or in a mixed drink. How old were you when you first started drinking at Least 12 drinks in a year?

[Appears in right pane]

HARD LIQUOR

1 mixed drink = 1 drink

1 shot glass = 1 drink

½ pint = 6 drinks

1 pint = 12 drinks

1 fifth = 20 drinks

1 quart or liter = 24 drinks

WINE

1 glass = 1 drink 1 bottle = 6 drinks 1 "wine cooler" = 1 drink 1 gallon = 30 drinks

BEER OR ALE

1 12 oz bottle = 1 drink 1 12 oz can = 1 drink 1 40 oz bottle = 3 drinks 1 six pack = 6 drinks 1 pitcher = 5 drinks 1 case = 24 drinks

[INTERVIEWER: If you are unsure, please use the <u>table</u> as a guide for the next questions]
[If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.]

CKPT.AU3_1

- 1...PAST YEAR VERSION AND SC25c!=Past12Mo [PY version no drinking past 12 months]

 GO TO NEXT MODULE
- 2...LIFETIME VERSION AND SC25c!=Past12Mo [LT version no drinking past 12 months]

 GO TO AU44
- 3...SC25c=Past12Mo [PY or LT version -drinking past 12 months] **CONTINUE**



AU3. Think about the past 12 months. During the past 12 months, how often did you usually have at least one drink - every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?

\cup	Eve	ry	day
			_

- Nearly Every day
- O 3-4 days / week
- O 1-2 days / week
- O 1-3 days / month
- O Less than once a month
- Never

CKPT.AU4

- 1...PAST-YEAR VERSION AND AU3 CODED 'never' [PY version no drinking past 12 months]

 GO TO NEXT MODULE
- 2...LIFETIME VERSION AND AU3 CODED 'never' [LT version no drinking past 12 months]

 GO TO AU44
- 3...ALL OTHERS [PY or LT version -drinking past 12 months]

 CONTINUE



[GRID SCREEN 1]

[If volunteers "Never", enter "Never" in the grid.]

	Every day	Nearly every day	3-4 days/ week	1-2 days/ week	-3 days/ month	Less than once a month	Never
AU5a. How often during the past 12 months did you have 5 or more drinks in a single day—every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?	0	0	0	0	0	0	0
AU5b. How often during the past 12 months did you drink enough to feel intoxicated or drunk—either you felt unsteady on your feet, or your vision was blurred, or your speech was slurred— every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?	0	0	0			0	0
[GRID SCREEN 2]							

AU6. How many drinks can you usually hold without feeling intoxicated or	drinks
drunk?	units
AU7. On the days you drank during the past 12 months, about how many drinks did you usually have per day?	drinks
AU8. During the last 12 months what was the <u>largest</u> number of drinks you had in one single day?	drinks

CKPT.AU9

1...AU3 CODED '1-3 days a month' OR 'less than once a month' [PY or LT version - infrequent drinking past 12 months]

CONTINUE

2...AU3 CODED '1-2 days a week' OR '3-4 days a week' OR 'Nearly every day' OR 'every day' OR 'DK/RF' [PY or LT version - frequent drinking past 12 months]

GO TO CKPT.AU12_1



1...LIFETIME VERSION AND AU7 CODED '0' OR '1' OR '2' [LT version - infrequent & low quantity drinking past 12 months]

GO TO AU40 [LT gate]

2...PAST YEAR VERSION AND AU7 CODED '0' OR '1' OR '2' [PY version - infrequent & low quantity drinking past 12 months]

GO TO NEXT MODULE

3...AU7 > 2 OR AU7=DK/RF [PT or LT version - infrequent but high quantity drinking past 12 months] **CONTINUE**

CKPT.AU12_1

1...SC25e=Past12Mo [Past 12mo arguments/problems] CONTINUE

2...SC25e!=Past12Moc[No past 12mo arguments/problems] GO TO CKPT.AU21_1

AU12b. You indicated earlier that your drinking caused arguments or other serious or repeated problems with your family, friends, neighbors, or co-workers during the past 12 months. Did you continue to drink even though it caused problems with these people?

O Yes

O No

CKPT.AU21 1

1...SC25i=Past12Mo [Past 12mo withdrawal symptoms] GO TO SCREEN 3
2...SC25i!=Past12Mo [No past 12mo withdrawal symptoms] CONTINUE

AU21. The next questions are about some other problems you may have had because of drinking during the past 12 months. Earlier, you indicated that you have <u>not</u> had times during the past 12 months when you stopped, cut down, or went without drinking and then experienced withdrawal symptoms. During the past 12 months, did you have times when you took a drink to keep from having problems like these?

O Yes

O No



[GRID SCREEN 3]

(The next questions are about some <u>other</u> problems you may have had because of drinking during <u>the past 12 months</u>.)

	Yes	No
AU23. During the past 12 months, were there times when you drank more		\bigcirc
frequently or for more days in a row than you intended?		
AU24. (During the past 12 months) did you have times when you started drinking		
and became drunk when you didn't want to?		0
AU26. (During the past 12 months) did you have periods of several days or more		
when you spent so much time drinking or recovering from the effects of alcohol		\circ
that you had little time for anything else?		
AU27. (During the past 12 months) did you have a time when you gave up or		
greatly reduced important activities because of your drinking - like sports, work, or	\circ	\bigcirc
seeing friends and family?		
AU28. (During the past 12 months) did you continue to drink when you knew you		
had a serious physical or emotional problem that might have been caused by or		\bigcirc
made worse by drinking?		

CKPT.AU29a

- 0...SC25j!=Past12Mo AND AU23!=Yes AND AU24!=Yes [does not meet "More than intended" criterion past 12mo]
- 1...SC25j=Past12Mo OR AU23=1 OR AU24=1 [meets "More than intended" criterion past 12 months]

CKPT.AU29b

- O...SC25k!=Past12Mo [does not meet "Control" criterion past 12 months]
- 1...SC25k=Past12Mo [meets "Control" criterion past 12 months]

CKPT.AU29c

- 0...AU26!=Yes [does not meet "Recovering" criterion past 12 months]
- 1...AU26=Yes [meets "Recovering" criterion past 12 months]

CKPT.AU29d

- O...SC25g!=Past12Mo [does not meet "Craving" criterion past 12 months]
- 1...SC25g=Past12Mo [meets "Craving" criterion past 12 months]

CKPT.AU29e

- 0...SC25d!=Past12Mo [does not meet "Occupational/Social interference" criterion past 12 months]
- 1...SC25d=Past12Mo [meets "Occupational/Social interference" criterion past 12 months]

CKPT.AU29f

- 0...AU12b!=Yes [does not meet "Arguments/Problems" criterion past 12 months]
- 1...AU12b=1 [meets "Arguments/Problems" criterion past 12 months]



CKPT.AU29g

- 0...AU27!=Yes [does not meet "Giving up activities" criterion past 12 months]
- 1...AU27=Yes [meets "Giving up activities" criterion past 12 months]

CKPT.AU29h

- O...SC25f!=Past12Mo [does not meet "Dangerous situations" criterion past 12 months]
- 1...SC25f=Past12Mo [meets "Dangerous situations" criterion past 12 months]

CKPT.AU29i

- 0...AU28!=Yes [does not meet "Health problems" criterion past 12 months]
- 1...AU28=Yes [meets "Health problems" criterion past 12 months]

CKPT.AU29i

- O...SC25h!=Past12Mo [does not meet "Tolerance" criterion past 12 months]
- 1...SC25h=Past12Mo [meets "Tolerance" criterion past 12 months]

CKPT.AU29k

- 0...SC25i!=Past12Mo AND AU21!=Yes [does not meet "Withdrawal" criterion past 12 months]
- 1...(SC25i=Past12Mo OR AU21=Yes) [meets "Withdrawal" criterion past 12 months]

CKPT.AU30

1...PAST YEAR VERSION AND ZERO OR ONE RESPONSES CODED "1" in CKPT.AU29a-CKPT.AU29k [PY version - Meets past 12mo Freq/quant. Screen but has <2 AUD symptoms past 12mo]

GO TO NEXT MODULE

2...LIFETIME VERSION AND ZERO OR ONE RESPONSES CODED "1" in CKPT.AU29a-CKPT.AU29k [LT version - Meets past 12mo Freq/quant. Screen but has <2 past 12 month AUD symptoms]

GO TO AU40 [LT gate]

3...TWO TO THREE RESPONSES CODED "1" in CKPT.AU29a-CKPT.AU29k [PY or LT version - Meets past 12 month Freq./Quant. Screen, and has 2-3 AUD symptoms past 12mo]

CONTINUE

4...FOUR TO FIVE RESPONSES CODED "1" in CKPT.AU29a-CKPT.AU29k [PY or LT version - Meets past 12 month Freq./Quant. Screen, and has 4-5 AUD symptoms past 12mo]

CONTINUE

5...SIX OR MORE RESPONSES CODED "1" in CKPT.AU29a-CKPT.AU29k [PY or LT version - Meets past 12 month Freq./Quant. Screen, and has 6 or more AUD symptoms past 12mo]

CONTINUE



AU30Intro1. You reported having a number of alcohol problems, such as AUFILL1 and AUFILL2, during the past 12 months. How old were you the very first time you had any of these problems? [INTERVIEWER: If you are unsure, please use the table as a guide for the next questions] [If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.] FILL RULES: Select first endorsed (AUFILL1) and second endorsed (AUFILL2) out of: (SC25j_1 OR AU23 OR AU24) OR SC25k 1 OR AU26 OR SC25g 1 OR SC25d 1 OR AU12b OR AU27 OR SC25f 1 OR AU28 OR SC25h 1 OR (SC25i 1 OR AU21): SC25j_1=AUID1 AU23=AUID2 AU24=AUID3 SC25k 1=AUID4 AU26=AUID5 SC25g 1=AUID6 SC25d 1=AUID7 AU12b=AUID8 AU27=AUID9 SC25f=AUID10 AU28=AUID11 SC25h_1=AUID12 SC25i_1=AUID13 AU21=AUID14 years old AU33. How old were you the first time you had two or more of these problems during the same 12month period? [INTERVIEWER: If you are unsure, please use the <u>table</u> as a guide for the next questions] [If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.] years old

AU34. How recently did you have two or more of these problems - within the past 30 days, 1+ to six

months ago, or more than 6 months ago?

Within the past 30 days

1 to 6 months ago

More than 6 months ago



AU35. About how many different years in your life did you ever have <u>two</u> or more of these problems? [INTERVIEWER: Number should not be greater than participant's current age.]
years
AU36a. Have you made a serious attempt to <u>quit</u> drinking during the past 12 months?Yes
O No GO TO AU37
IF DK/RF GO TO AU37
AU36b. What is the longest period of time you went without drinking after an attempt to quit during th past 12 months? [INTERVIEWER: 7 days per week; 30 days per month; 365 days per year]
days
Control of the Contro

[GRID SCREEN 4]

AU37. Think about the time lasting one month or longer during the past 12 months when you were drinking the most. Using a 0 to 10 scale, where 0 means <u>no</u> interference and 10 means very <u>severe</u> interference, what number describes how much your drinking interfered with each of the following activities during that time?

· ·			Mild		M	lodera	te	:	Severe	2	Verv	severe
No interfer	ence		__			__			__		-	ference
	0	1	2	3	4	5	6	7	8	9	10	
a. Your home												
management, like												
cleaning, shopping, and	0	\circ										
taking care of the house												
or apartment?												
b. Your ability to work?	\circ	\bigcirc	\circ	\bigcirc	\bigcirc	\circ	\bigcirc	\circ	\circ	\bigcirc	\bigcirc	
c. Your ability to form and												
maintain close		\bigcirc	\cap									
relationships with other						\circ					\circ	
people?												
d. Your social life?											\bigcirc	



1...LIFETIME VERSION AND ALL RESPONSES to AU37a-AU37d CODED '0' OR DK/RF [LT version - no past 12mo interference]

GO TO AU40 [LT gate]

2...PAST YEAR VERSION AND ALL RESPONSES TO AU37a-AU37d CODED '0' OR DK/RF [PY version - no past 12mo interference]

GO TO AU81A [*Tx Qs*]

3...ALL OTHERS [PY or LT version - some interference]

CONTINUE

carry out your r	normal activities because of your drinking? I use any number between 0 and 365.]
	days
CKPT.AU39_1 1LT version 2PY version	CONTINUE GO TO AU81
AU40. Was ther Yes No	e ever a year in your life when you drank more than you did during the past 12 months?
GO TO A 2AU40=Yes [L associated with CONTIN 3AU40!=Yes [A associated with	T version—Lifetime drinking heavier than in past 12 months; <2 reported problems past 12 month AUD, but has had 12+ drinks in any given year]
	nere ever a time in your life when you had problems associated with your drinking?



1...AU42_1=Yes [LT version - Lifetime drinking not more than past 12 months, but greater lifetime problems]

TO CKPT.AU52 [LT problem gate]

2...AU42_1!=Yes AND CKPT.AU10=1 [LT version -Lifetime drinking and problems NOT worse than past 12 months; infrequent & low quantity drinking past 12 months]

GO TO NEXT MODULE

3...AU42_1!=Yes AND CKPT.AU30=2 [LT version -Lifetime drinking and problems NOT worse than past 12 months; Meets past 12mo Freq/quant. Screen but has <2 AUD symptoms past 12mo]

GO TO NEXT MODULE

AU44. Think about the years in your life when you drank most. During those years, how often did you usually have at least one drink - every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?

$\overline{}$	_			
()	F١	Pr	10	laν

- O Nearly every day
- O 3-4 days / week
- O 1-2 days / week
- 1-3 days / month
- O Less than once a month
- O Never

CKPT.AU45

1...AU44 CODED 'never' GO TO NEXT MODULE

2...ALL OTHERS CONTINUE



[GRID SCREEN 5]

	Every day	Nearly every day	3-4 days/ week	1-2 days/ week	-3 days/ month	Less than once a month	Never
AU46. During those years when you drank the most, how often did you have five or more drinks in a single day - every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?	0	0	0	0	0	0	0
AU47. (During those years) how often did you drink enough to feel intoxicated or drunk - either you felt unsteady on your feet, or your vision was blurred, or your speech was slurred every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?	0	0	0	0	0	0	0

[GRID SCREEN 6]

AU49a. During those years when you drank the most, how many drinks could you usually hold without feeling intoxicated or drunk?	drinks
AU49b. And on the days you drank during those years, about how many drinks did you usually have per day?	drinks
AU49c. During those years, what was the <u>largest</u> number of drinks you had in one single day?	drinks

CKPT.AU50

1...AU44 CODED 'less than once a month' OR '1-3 days/month' [LT version - infrequent drinking in lifetime]

CONTINUE

2...AU44 > '1-3 days/month' OR DK/RF [LT version - frequent drinking in lifetime]

GO TO CKPT.AU52



- 1...AU49b > 2 OR AU49b=DK/RF [LT version infrequent but high quantity drinking in lifetime] **CONTINUE**
- 2...AU49b CODED '0' OR '1' OR '2' AND (CKPT.AU3_1=2 OR CKPT.AU4=2) [LT version infrequent & low quantity drinking in lifetime; no drinking past 12 months]

GO TO NEXT MODULE

3...AU49b CODED '0' OR '1' OR '2' AND CKPT.AU10=1 [LT version - infrequent & low quantity drinking in lifetime; infrequent & low quantity drinking past 12 months]

GO TO NEXT MODULE

4...AU49b CODED '0' OR '1' OR '2' AND CKPT.AU30=2 [LT version - infrequent & low quantity drinking in lifetime; Meets past 12mo Freq/quant. Screen but has <2 AUD symptoms past 12mo]

GO TO NEXT MODULE

CKPT.AU52

- 1...CKPT.AU3 1=2 OR CKPT.AU4=2 [LT version no drinking past 12 months]
- 2...CKPT.AU10=1 [LT version infrequent & low quantity drinking past 12 months]
- 3...CKPT.AU30=2 [LT version Meets past 12mo Freq/quant. Screen & has <2 AUD symptoms past 12mo]

CKPT.AU54 1.

1...SC25e=Yes [Lifetime arguments or problems]

CONTINUE

2...SC25e!=Yes [Lifetime no arguments or problems]

GO TO CKPT.AU64 1

[GRID SCREEN 7]

	Yes	No
AU54b. You indicated earlier that your drinking caused arguments or other serious		
or repeated problems with your family, friends, neighbors, or co-workers. Did you	\circ	
continue to drink even though it caused problems with these people?		

CKPT.AU64_1

1...SC25i=Yes [Withdrawal symptoms] GO TO GRID SCREEN 8

2...SC25i!=Yes [No withdrawal symptoms] **CONTINUE**

AU64. The next questions are about some other problems you may have had because of drinking. Earlier, you indicated that you have <u>never</u> had a time when you stopped, cut down, or went without drinking and then experienced withdrawal symptoms. Did you ever have times when you took a drink to keep from having problems like these?

\bigcirc	Yes
\bigcirc	No



[GRID SCREEN 8]

(The next questions are about some <u>other</u> problems you may have had because of drinking in your lifetime.)

	Yes	No
AU66. Were there times when you drank more frequently or for more days in a row than you intended?	0	0
AU67. Did you have times when you started drinking and became drunk when you didn't want to?	\circ	\bigcirc
AU69. Did you have periods of several days or more when you spent so much time drinking or recovering from the effects of alcohol that you had little time for anything else?	0	0
AU70. Did you have a time when you gave up or greatly reduced important activities because of your drinking - like sports, work, or seeing friends and family?	\circ	\circ
AU71. Did you continue to drink when you knew you had a serious physical or emotional problem that might have been caused by or made worse by drinking?		0

CKPT.AU72a

- 0...SC25j=no/dk/rf AND AU23!=yes AND AU24!=yes AND AU66=no/dk/rf AND AU67=no/dk/rf [does not meet "More than intended" criterion lifetime]
- 1...ONE OR MORE 'Yes' RESPONSES IN SC25j, AU23, AU24, AU66, AU67 [meets "More than intended" criterion lifetime]

CKPT.AU72b

- 0...SC25k!=Yes [does not meet "Control" criterion lifetime]
- 1...SC25k=Yes [meets "Control" criterion lifetime]

CKPT.AU72c

- 0...AU26!=Yes AND AU69!=Yes [does not meet "Recovering" criterion lifetime]
- 1...AU26=Yes OR AU69=Yes [meets "Recovering" criterion lifetime]

CKPT.AU72d

- O...SC25g!=Yes [does not meet "Craving" criterion lifetime]
- 1...SC25g=Yes [meets "Craving" criterion lifetime]

CKPT.AU72e

- 0...SC25d!=Yes [does not meet "Occupational/Social interference" criterion lifetime]
- 1...SC25d=Yes [meets "Occupational/Social interference" criterion lifetime]

CKPT.AU72f

- 0...AU12b!=Yes AND AU54b!=Yes [does not meet "Arguments/Problems" criterion lifetime]
- 1...AU12b=Yes OR AU54b=Yes [meets "Arguments/Problems" criterion lifetime]



CKPT.AU72g

- 0...AU27!=Yes AND AU70!=Yes [does not meet "Giving up activities" criterion lifetime]
- 1...AU27=Yes OR AU70=Yes [meets "Giving up activities" criterion lifetime]

CKPT.AU72h

- 0...SC25f!=Yes [does not meet "Dangerous situations" criterion lifetime]
- 1...SC25f=Yes [meets "Dangerous situations" criterion lifetime]

CKPT.AU72i

- 0...AU28!=Yes AND AU71!=Yes [does not meet "Health problems" criterion lifetime]
- 1...AU28=Yes OR AU71=Yes [meets "Health problems" criterion lifetime]

CKPT.AU72j

- 0...SC25h!=Yes [does not meet "Tolerance" criterion lifetime]
- 1...SC25h=Yes [meets "Tolerance" criterion lifetime]

CKPT.AU72k

- 0...SC25i!=Yes AND AU21!=Yes AND AU64!=Yes [does not meet "Withdrawal" criterion lifetime]
- 1...(SC25i=Yes OR AU21=Yes OR AU64=Yes) [meets "Withdrawal" criterion lifetime]

CKPT.AU73

- 1...(0-1 RESPONSES CODED '1' in CKPT.AU72a-CKPT.AU72k) [LT version <2 AUD symptoms in lifetime]

 GO TO NEXT MODULE
- 2...(2+ RESPONSES CODED '1' in CKPT.AU72a-CKPT.AU72k) [LT version Greater than one lifetime AUD symptom]

CONTINUE



AU73Intro1. You reported having a number of alcohol problems, including AUFILL3 and AUFILL4. How old were you the very <u>first</u> time you had any of these problems?

[INTERVIEWER: If you are unsure, please use the table as a guide for the next questions] [INTERVIEWER: Age should not be greater than participant's current age] [If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.] FILL RULES:

Select first endorsed (AUFILL3) and second endorsed (AUFILL4) out of: (SC25j OR AU23 OR AU24 OR AU66 OR AU67) OR SC25k OR (AU26 OR AU69), SC25g, SC25d, (AU12b OR AU54b) OR (AU27 OR AU70), SC25f, (AU28 OR AU71), SC25h, (SC25i OR AU21 OR AU64):

	SC25j=AUID1
	AU23 OR AU66=AUID2
	AU24 OR AU67=AUID3
	SC25k=AUID4
	AU26 OR AU69=AUID5
	SC25g=AUID6
	SC25d=AUID7
	AU12b OR AU54b=AUID8
	AU27 OR AU70=AUID9
	SC25f=AUID10
	AU28 OR AU71=AUID11
	SC25h=AUID12
	SC25i=AUID13
	AU21 OR AU64=AUID14
_	
	years old
	Did you ever have <u>two</u> or more of these problems during the <u>same 12-month period</u> ? Yes
\bigcirc	No GO TO AU80A
IF DK/F	RF GO TO AU80A
	How old were you the <u>first</u> time you had <u>two</u> or more of these problems during the <u>same speriod?</u>

[INTERVIEWER: If you are unsure, please use the <u>table</u> as a guide for the next questions] [INTERVIEWER: Age should not be greater than participant's current age] [If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.] years old



AU78. How old were you the <u>last</u> time you had two or more of these problems? [INTERVIEWER: If you are unsure, please use the <u>table</u> as a guide for the next questions] [INTERVIEWER: Age should not be greater than participant's current age] [If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.] vears old **AU79.** About how many different years in your life did you ever have two or more of these problems? years AU80a. Starting from the time you first began having problems, about how many different times did you ever make a serious attempt to quit drinking? times IF 0, GO TO AU81a **AU80b.** What is the longest period of time you went without drinking after AUFILL5? [INTERVIEWER: 7 days per week; 30 days per month; 365 days per year] FILL RULES: IF AU80a=1 THEN AUID15 IF AU80a>1 THEN AUID16 times AU81a. Did you ever in your life talk to a medical doctor or other professional about your use of alcohol?(By professional we mean psychologists, counselors, spiritual advisors, herbalists, acupuncturists, and other healing professionals.) O Yes O No GO TO AU85a IF DK/RF GO TO AU85a **AU81b.** How old were you the first time (you talked to a professional about your use of alcohol)? [INTERVIEWER: If you are unsure, please use the table as a guide for the next questions] [INTERVIEWER: Age should not be greater than participant's current age] [If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.] years old



CKPT.AU81b_1	
1LT version (CONTINUE
2PY version (GO TO AU83
<i>AU81c.</i> How mar	ny professionals did you ever talk to about your use of alcohol?
k	professionals
AU82a. Did you e	ever get treatment for your use of alcohol that you considered <u>helpful</u> or <u>effective</u> ?
O No (GO TO AU83
IF DK/RF GO TO	AU83
[INTERVIEWER: Interviewer: A [If unsure, prompt	were you the <u>first</u> time (you got helpful treatment for your use of alcohol)? If you are unsure, please use the <u>table</u> as a guide for the next questions] age should not be greater than participant's current age] but: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.]
	rears old
AU83. Did you remonths? Yes No	ceive professional treatment for your use of alcohol at any time during the past 12
<i>AU84a.</i> Were yo	u ever hospitalized overnight for your use of alcohol?
O Yes ′	,
O No (GO TO AU85a
IF DK/RF GO TO	AU85a
AU84b. How old alcohol]?	were you the first time [you were hospitalized overnight because of your use of
-	fyou are unsure, please use the <u>table</u> as a guide for the next questions]
	age should not be greater than participant's current age]
	ot: "About how old were you?" If still unsure, prompt: "Was it before your teens?" If no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.]
y	vears old



AU85a. Did you ever go to a self-help group like Alcoholics Anonymous for help with your use of llcohol? Yes	
O No GO TO AU86 F DK/RF GO TO AU86	
AU85b. How old were you the <u>first</u> time [you went to a self-help group of this sort]? INTERVIEWER: If you are unsure, please use the <u>table</u> as a guide for the next questions] INTERVIEWER: Age should not be greater than participant's current age] If unsure, prompt: "About how old were you?" If still unsure, prompt: "Was it before your teens?" res, enter '12'; if no, prompt: "Was it before your twenties?" If yes, enter '19'; if no, enter '20'.]	If
years old	
NU85c. How many meetings of such a group did you attend during the past 12 months?	
meetings	
NU86. How many of your close relatives including your biological parents, brothers and sisters, a hildren ever had problems with alcohol use?	nd
relatives	



Fills Appendix

AUID1: drinking when you planned not to, or you drank more than you planned

AUID2: drinking more frequently than you intended

AUID3: drinking even when you didn't want to

AUID4: being unable to stop or cut down

AUID5: spending several days doing little more than drinking or getting over the effects of drinking

AUID6: thinking about or feeling a strong urge to use alcohol

AUID7: your drinking interfered with your work

AUID8: continuing to drink even though it caused problems

AUID9: giving up or reducing important activities because of your drinking

AUID10: drinking in situations where you could get hurt

AUID11: drinking even though it caused or worsened physical or emotional problems

AUID12: needing larger amounts of alcohol to get an effect

AUID13: not feeling well when you stopped drinking

AUID14: drinking to keep from feeling physical or emotional problems

AUID15: that attempt

AUID16: one of these attempts