



Legend

Blue: interviewer instructions (not to be read aloud)

Gray: rules and gating

Green: lifetime version questions

CARS is adapted from the [Composite International Diagnostic Instrument \(CIDI\) for DSM-IV.](#)

Drug Use

MODULE ENTRY: ONE OR MORE 'YES' RESPONSES IN SC26d - SC26k

12 MO ENTRY: ONE OR MORE 'YES' RESPONSES IN SC26d_1 - SC26k_1

IU1a. (The next questions are about medicines that are often used non-medically. By “used non-medically” we mean either used without the recommendation of a health professional, or used in greater amounts than your health professional told you to use them, or used for any reason other than what a health professional said you should use them for. We will ask you about three groups of medicines:)

The first group is sedatives or tranquilizers, sometimes called “downers” or “nerve pills.” These are medicines people sometimes use to help them stay calm and relaxed or to sleep. Examples include valium, rohypnol, and diazepam [Additional examples are listed in the side panel]. Have you ever used a sedative or tranquilizer non-medically?

- Yes
- No **GO TO IU1c**

IF DK/RF GO TO IU1c

CKPT.IU1

1...SC26c=Past12Mo **CONTINUE**

2...SC26c!=Past12Mo **GO TO IU1c**

IU1b. Have you used a sedative or tranquilizer non-medically during the past 12 months?

- Yes **GO TO IU1g**
- No **GO TO IU1e**

IF DK/RF GO TO IU1e

IU1c. Have you ever used a sedative or tranquilizer that a doctor prescribed for you?

- Yes
- No **GO TO IU2a**

IF DK/RF GO TO IU2a

IU1d. Was your use ever so regular that you felt you could not stop using the sedative or tranquilizer prescribed for you?

- Yes **GO TO IU1f**
- No **GO TO IU2a**

IF DK/RF GO TO IU2a



IU1e. Have you used a sedative or tranquilizer that a doctor prescribed for you during the past 12 months?

- Yes
- No **GO TO IU1g**

IF DK/RF GO TO IU1g

IU1f. During the past 12 months, was your use ever so regular that you felt you could not stop using the sedative or tranquilizer prescribed for you?

- Yes
- No

IU1g. How old were you the first time you used sedatives or tranquilizers IUFILL1?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

FILL RULES:

IF IU1b OR IU1a=1

THEN IUFILL1=IUID1

IF IU1d OR IU1f=1

THEN IUFILL1=IUID2

years old

IU2a. [The next questions are about medicines that are often used non-medically. By "used non-medically" we mean either used without the recommendation of a health professional, or used in greater amounts than your health professional told you to use them, or used for any reason other than what a health professional said you should use them for. We will ask you about three groups of medicines:]

The second group of medicines is stimulants, sometimes called speed, ice, glass, crystal, crank, pep pills, or uppers. These are medicines that people sometimes use to stay awake, to improve their low mood, or to lose weight. Examples include dexamyl, methamphetamine, adderall, and Ritalin [Additional examples are listed in the side panel]. Have you ever used a stimulant non-medically?

- Yes
- No **GO TO IU2c**

IF DK/RF GO TO IU2C

CKPT.IU2

1...SC26c=Past12Mo **CONTINUE**

2...SC26c!=Past12Mo **GO TO IU2c**



IU2b. Have you used a stimulant non-medically during the past 12 months?

- Yes **GO TO IU2g**
- No **GO TO IU2e**

IF DK/RF GO TO IU2e

IU2c. Have you ever used a stimulant that a doctor prescribed for you?

- Yes
- No **GO TO IU3a**

IF DK/RF GO TO IU3a

IU2d. Was your use ever so regular that you felt you could not stop using the stimulant prescribed for you?

- Yes **GO TO IU2f**
- No **GO TO IU3a**

IF DK/RF GO TO IU3a

IU2e. Have you used a stimulant that a doctor prescribed for you during the past 12 months?

- Yes
- No **GO TO IU2g**

IF DK/RF GO TO IU2g

IU2f. During the past 12 months, was your use ever so regular that you felt you could not stop using the stimulant prescribed for you?

- Yes
- No

IU2g. How old were you the first time you used stimulants IU2a?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

FILL RULES:

IF IU2b OR IU2a=1

THEN IU2g=IU2b

IF IU2d OR IU2f=1

THEN IU2g=IU2d

years old



IU3a. [The next questions are about medicines that are often used non-medically. By “used non-medically” we mean either used without the recommendation of a health professional, or used in greater amounts than your health professional told you to use them, or used for any reason other than what a health professional said you should use them for. We will ask you about three groups of medicines:]

The third group of medicines is analgesics. These are medicines that people usually take as pain killers. Examples include codeine, morphine, and Percodan. [\[Additional examples are listed in the side panel\]](#). Have you ever used a prescription strength pain killer non-medically?

- Yes
- No **GO TO IU3c**

IF DK/RF GO TO IU3c

CKPT.IU3

- 1...SC26c=Past12Mo **CONTINUE**
- 2...SC26c!=Past12Mo **GO TO IU3c**

IU3b. Have you used a prescription strength pain killer non-medically during the past 12 months?

- Yes **GO TO IU3g**
- No **GO TO IU3e**

IF DK/RF GO TO IU3e

IU3c. Have you ever used a prescription strength pain killer that a doctor prescribed for you?

- Yes
- No **GO TO IU4**

IF DK/RF GO TO IU4

IU3d. Was your use ever so regular that you felt you could not stop using the prescription strength pain killer prescribed for you?

- Yes **GO TO IU3f**
- No **GO TO IU4**

IF DK/RF GO TO IU4

IU3e. Have you used a prescription strength pain killer that a doctor prescribed for you during the past 12 months?

- Yes
- No **GO TO IU3g**

IF DK/RF GO TO IU3g

IU3f. During the past 12 months, was your use ever so regular that you felt you could not stop using the prescription strength pain killer prescribed for you?

- Yes
- No



IU3g. How old were you the first time you used prescription strength pain killers IUFILL3?

[INTERVIEWER: Age should not be greater than participant’s current age.]

[If unsure, prompt: “About how old were you?” If still unsure or “as long as I can remember”, prompt: “Was it before your teens?” If yes, enter ‘12’; if no, prompt “Was it before your twenties?” If yes, enter ‘19’; if no, enter ‘20’]

FILL RULES:

IF IU3b OR IU3a=1
THEN IUFILL3=IUID1

IF IU3d OR IU3f=1
THEN IUFILL3=IUID2

years old

[GRID SCREEN 1]

The next questions are about your experience with several other types of drugs.

[INTERVIEWER: If an event is endorsed, ask the follow-up questions at right. Move from left to right across the grid. Age should not be greater than participant’s current age]

			If Yes	
	Yes	No	How old were you the <u>first</u> time you used this drug?	Did you use this drug during the past 12 months?
IU4. Have you ever used either marijuana or hashish?	<input type="radio"/>	<input type="radio"/>	___ years	<input type="checkbox"/>
IU5. Have you ever used cocaine in any form, including powder, crack, free base, coca leaves, or paste?	<input type="radio"/>	<input type="radio"/>	___ years	<input type="checkbox"/>
IU6. Have you ever used club drugs such as ecstasy, ketamine or MDMA?	<input type="radio"/>	<input type="radio"/>	___ years	<input type="checkbox"/>
IU7. Have you ever used hallucinogens including LSD, mescaline, PCP, angel dust, mushrooms or peyote?	<input type="radio"/>	<input type="radio"/>	___ years	<input type="checkbox"/>
IU8. Have you ever used heroin or opium?	<input type="radio"/>	<input type="radio"/>	___ years	<input type="checkbox"/>
IU9. Have you ever used any inhalants or solvents such as nitrous oxide, glue, paint or gasoline?	<input type="radio"/>	<input type="radio"/>	___ years	<input type="checkbox"/>
IU10. Have you ever used any other illegal drug?	<input type="radio"/>	<input type="radio"/>	___ years	<input type="checkbox"/>

CKPT.IU11

1...IU10='Yes'

CONTINUE

2...ALL OTHERS

GO TO CKPT.IU13 [sedative gate]



IU12. What other illegal drugs have you used?

CKPT. IU13

1...IU1a!=YES AND (IU1c!=YES OR IU1d!=YES) *[no nonmedical/uncontrollable sedative use ever]*

GO TO CKPT.IU15 *[stimulant gate]*

2...Lifetime version AND ((IU1a=YES AND (SC26c!=Past12Mo OR IU1b!=YES) AND (IUe!=YES OR IU1f!=YES)) OR (IU1d=YES AND IU1f!=YES)) *[LT version-nonmedical/uncontrollable sedative use, not in past 12 months]*

GO TO IU14c

3...Past year version AND ((IU1a=YES AND (SC26c!=Past12Mo OR IU1b!=YES) AND (IU1e!=YES OR IU1f!=YES)) OR (IU1d=YES AND IU1f!=YES)) *[PY version-nonmedical/uncontrollable sedative use, not in past 12 months]*

GO TO CKPT.IU15 *[stimulant gate]*

4...(IU1a=YES OR IU1d=YES) AND (IU1b=YES OR IU1f=YES) *[PY or LT version-nonmedical/uncontrollable sedative use in past 12 months]*

CONTINUE

IU14a. How often did you use sedatives or tranquilizers during the past twelve months - every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU14

1...PY version **GO TO CKPT.IU15**

2...LT version **CONTINUE**



IU14b. Did you ever have a 12-month period when you used sedatives or tranquilizers more than you did during the past 12 months?

- Yes
- No **GO TO IU14f**

IF DK/RF GO TO IU14f

IU14c. Thinking of the year when you used sedatives or tranquilizers the most, how often did you use - never, less than once a month, one to three days a month, one to two days a week, three to four days a week, nearly every day, or every day?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never **GO TO CKPT.IU15** [stimulant gate]

IF DK/RF GO TO CKPT.IU15

CKPT.IU14d

1...CKPT.IU13=4 [LT version -tranq/sedative use in past 12 months]

GO TO IU14f

2...CKPT.IU13=2 [LT version -tranq/sedative use, but not in past 12 months]

CONTINUE

IU14e. How old were you the last time you used sedatives or tranquilizers IUFILL4?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

FILL RULES:

IF IU1b OR IU1a=1

THEN IUFILL4=IUID1

IF IU1d OR IU1f=1

THEN IUFILL4=IUID2

Years old

IU14f. In how many different years did you use sedatives or tranquilizers IUFILL5?

FILL RULES:

IF IU1b OR IU1a=1

THEN IUFILL5=IUID1

IF IU1d OR IU1f=1

THEN IUFILL5=IUID2

years



CKPT.IU15

1...IU2a!=YES AND (IU2c!=YES OR IU2d!=YES) [*no nonmedical/uncontrollable stimulant use ever*]

GO TO CKPT.IU17 [*pain killer gate*]

2...Lifetime version AND ((IU2a=YES AND (SC26c!=Past12Mo OR IU2b!=YES) AND (IU2e!=YES OR IU2f!=YES)) OR (IU2d=YES AND IU2f!=YES)) [*LT version -nonmedical/uncontrollable stimulant use, but not in past 12 months*]

GO TO IU16c

3...Past year version AND ((IU2a=YES AND (SC26c!=Past12Mo OR IU2b!=YES) AND (IU2e!=YES OR IU2f!=YES)) OR (IU2d=YES AND IU2f!=YES)) [*PY version -nonmedical/uncontrollable stimulant use, but not in past 12 months*]

GO TO CKPT.IU17 [*pain killer gate*]

4...(IU2a=YES OR IU2d=YES) AND (IU2b=YES OR IU2f=YES) [*PY or LT version -nonmedical/uncontrollable stimulant use in past 12 months*]

CONTINUE

IU16a. How often did you use stimulants during the past twelve months - every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU16

1...PY version **GO TO CKPT.IU17**

2...LT version **CONTINUE**

IU16b. Did you ever have a 12-month period when you used stimulants more than you did during the past 12 months?

- Yes
- No **GO TO IU16f**

IF DK/RF GO TO IU16f



IU16c. Thinking of the year when you used stimulants the most, how often did you use - never, less than once a month, one to three days a month, one to two days a week, three to four days a week, nearly every day, or every day?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never **GO TO CKPT.IU17** [pain killer gate]

IF DK/RF GO TO CKPT.IU17

CKPT.IU16d

1...CKPT.IU15=4 [LT version -stimulant use in past 12 months]

GO TO IU16f

2...CKPT.IU15=2 [LT version -stimulant use, but not in past 12 months]

CONTINUE

IU16e. How old were you the last time you used stimulants IUFILL6?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

FILL RULES:

IF IU2b OR IU2a=1

THEN IUFILL6=IUID1

IF IU2d OR IU2f=1

THEN IUFILL6=IUID2

years old

IU16f. In how many different years did you use stimulants IUFILL7?

FILL RULES:

IF IU2b OR IU2a=1

THEN IUFILL7=IUID1

IF IU2d OR IU2f=1

THEN IUFILL7=IUID2

years



CKPT.IU17

1...IU3a!=YES AND (IU3c!=YES OR IU3d!=YES) *no nonmedical/uncontrollable pain killer use ever*

GO TO CKPT.IU19 *[marijuana gate]*

2...Lifetime version AND ((IU3a=YES AND (SC26c!=Past12Mo OR IU3b!=YES) AND (IU3e!=YES OR IU3f!=YES)) OR (IU3d=YES AND IU3f!=YES)) *[LT version -nonmedical/uncontrollable pain killer use, but not in past 12 months]*

GO TO IU18c

3...Past year version AND ((IU3a=YES AND (SC26c!=Past12Mo OR IU3b!=YES) AND (IU3e!=YES OR IU3f!=YES)) OR (IU3d=YES AND IU3f!=YES)) *[PY version - nonmedical/uncontrollable pain killer use, but not in past 12 months]*

GO TO CKPT.IU19 *[marijuana gate]*

4...(IU3a=YES OR IU3d=YES) AND (IU3b=YES OR IU3f=YES) *[PY or LT version -nonmedical/uncontrollable pain killer use in past 12 months]*

CONTINUE

IU18a. How often did you use prescription strength pain killers during the past twelve months - every day, nearly every day, three to four days a week, one to two days a week, one to three days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU18

1...PY version **GO TO CKPT.IU19**

2...LT version **CONTINUE**

IU18b. Did you ever have a 12-month period when you used prescription strength pain killers more than you did during the past 12 months?

- Yes
- No **GO TO IU18f**

IF DK/RF GO TO IU18f



IU18c. Thinking of the year when you used prescription strength pain killers the most, how often did you use - never, less than once a month, one to three days a month, one to two days a week, three to four days a week, nearly every day, or every day?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never GO TO CKPT.IU19 [marijuana gate]

IF DK/RF GO TO CKPT.IU19

CKPT.IU18d

1...CKPT.IU17=4 [LT version -pain killer use in past 12 months]

GO TO IU18f

2...CKPT.IU17=2 [LT version -pain killer use, but not in past 12 months]

CONTINUE

IU18e. How old were you the last time you used prescription strength pain killers IUFILL8?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

FILL RULES:

IF IU3b OR IU3a=1

THEN IUFILL8=IUID1

IF IU3d OR IU3f=1

THEN IUFILL8=IUID2

years old

IU18f. In how many different years did you use prescription strength pain killers IUFILL9?

FILL RULES:

IF IU3b OR IU3a=1

THEN IUFILL9=IUID1

IF IU3d OR IU3f=1

THEN IUFILL9=IUID2

years



CKPT.IU19

1...IU4!=YES [no marijuana use ever]

GO TO CKPT.IU21 [cocaine gate]

2...LIFETIME VERSION AND IU4=YES AND IU4!=Past12Mo [LT version-marijuana use, not in past 12 mo]

GO TO IU20c

3...PAST YEAR VERSION AND IU4=YES AND IU4!=Past12Mo [PY version-marijuana use, not in past 12 mo]

GO TO CKPT.IU21 [cocaine gate]

4...IU4=YES AND IU4=Past12Mo [PY or LT version-marijuana use in past 12 months]

CONTINUE

IU20a. How often did you use marijuana or hashish during the past twelve months - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU20

1...PY version **GO TO CKPT.IU21**

2...LT version **CONTINUE**

IU20b. Did you ever have a 12-month period when you used marijuana or hashish more than you did during the past 12 months?

- Yes
- No **GO TO IU20f**

IF DK/RF GO TO IU20f

IU20c. Thinking of the year when you used marijuana or hashish the most, how often did you use -every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never **GO TO CKPT.IU21** [cocaine gate]

IF DK/RF GO TO CKPT.IU21



CKPT.IU20d

1...CKPT.IU19=4 [*LT version-marijuana use in past 12 months*]

GO TO IU20f

2...CKPT.IU19=2 [*LT version-marijuana use, but not in past 12 months*]

CONTINUE

IU20e. How old were you the last time you used marijuana or hashish?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU20f. In how many different years did you use marijuana or hashish?

years

CKPT.IU21

1...IU5!=YES [*no cocaine use ever*]

GO TO CKPT.IU23 [*club drug gate*]

2...LIFETIME VERSION AND IU5=YES AND IU5!=Past12Mo [*LT version -cocaine use, but not in past 12 months*]

GO TO IU22c

3...PAST YEAR VERSION AND IU5=YES AND IU5!=Past12Mo [*PY version -cocaine use, but not in past 12 months*]

GO TO CKPT.IU23 [*club drug gate*]

4...IU5=YES AND IU5=Past12Mo [*PY or LT version -cocaine use in past 12 months*]

CONTINUE

IU22a. How often did you use cocaine during the past twelve months - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU22

1...PY version **GO TO CKPT.IU23**

2...LT version **CONTINUE**



IU22b. Did you ever have a 12-month period when you used cocaine more than you did during the past 12 months?

- Yes
- No **GO TO IU22f**

IF DK/RF GO TO IU22f

IU22c. Thinking of the year when you used cocaine the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 times / month
- Less than once / month
- Never **GO TO CKPT.IU23** *[club drug gate]*

IF DK/RF GO TO CKPT.IU23

CKPT.IU22d

1...CKPT.IU21=4 *[LT version -cocaine use in past 12 months]*

GO TO IU22f

2...CKPT.IU21=2 *[LT version -cocaine use, but not in past 12 months]*

CONTINUE

IU22e. How old were you the last time you used cocaine?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU22f. In how many different years did you use cocaine?

years



CKPT. IU23

1...IU6!=YES [no club drug use ever]

GO TO CKPT.IU25 [hallucinogen gate]

2...LIFETIME VERSION AND IU6=YES AND IU6!=Past12Mo [LT version -club drug use, but not in past 12 months]

GO TO IU24c

3...PAST YEAR VERSION AND IU6=YES AND IU6!=Past12Mo [PY version -club drug use, but not in past 12 months]

GO TO CKPT.IU25 [hallucinogen gate]

4...IU6=YES AND IU6=Past12Mo [PY or LT version -club drug use in past 12 months]

CONTINUE

IU24a. How often did you use club drugs during the past twelve months - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU24

1...PY version **GO TO CKPT.IU25**

2...LT version **CONTINUE**

IU24b. Did you ever have a 12-month period when you used club drugs more than you did during the past 12 months?

- Yes
- No **GO TO IU24f**

IF DK/RF GO TO IU24f

IU24c. Thinking of the year when you used club drugs the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never **GO TO CKPT.IU25** [hallucinogen gate]

IF DK/RF GO TO CKPT.IU25



CKPT.IU24d

1...CKPT.IU23=4 [LT version -club drug use in past 12 months]

GO TO IU24f

2...CKPT.IU23=2 [LT version -club drug use, but not in past 12 months]

CONTINUE

IU24e. How old were you the last time you used club drugs?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU24f. In how many different years did you use club drugs?

years

CKPT. IU25

1...IU7!=YES [no hallucinogen use ever]

GO TO CKPT.IU27 [heroin gate]

2...LIFETIME VERSION AND IU7=YES AND IU7!=Past12Mo [LT version -hallucinogen use, but not in past 12 months]

GO TO IU26c

3...PAST YEAR VERSION AND IU7=YES AND IU7!=Past12Mo [PY version -hallucinogen use, but not in past 12 months]

GO TO CKPT.IU27 [heroin gate]

4...IU7=YES AND IU7=Past12Mo [PY or LT version -hallucinogen use in past 12 months]

CONTINUE

IU26a. How often did you use hallucinogens during the past twelve months - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU26

1...PY version **GO TO CKPT.IU27**

2...LT version **CONTINUE**



IU26b. Did you ever have a 12-month period when you used hallucinogens more than you did during the past 12 months?

- Yes
- No **GO TO IU26f**

IF DK/RF GO TO IU26f

IU26c. Thinking of the year when you used hallucinogens the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never **GO TO CKPT.IU27** [*heroin gate*]

IF DK/RF GO TO CKPT.IU27

CKPT.IU26d

1...CKPT.IU25=4 [*LT version -hallucinogen use in past 12 months*]

2...CKPT.IU25=2 [*LT version -hallucinogen use, but not in past 12 months*]

GO TO IU26f

CONTINUE

IU26e. How old were you the last time you used hallucinogens?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU26f. In how many different years did you use hallucinogens?

years



CKPT. IU27

1...IU8!=YES [no heroin use ever]

GO TO CKPT.IU29 [inhalant gate]

2...LIFETIME VERSION AND IU8=YES AND IU8!=Past12Mo [LT version -heroin use, not in past 12 mo]

GO TO IU28c

3...PAST YEAR VERSION AND IU8=YES AND IU8!=Past12Mo [PY version -heroin use, not in past 12 mo]

GO TO CKPT.IU29 [inhalant gate]

4...IU8=YES AND IU8=Past12Mo [PY or LT version -heroin use in past 12 months]

GO TO IU28a

IU28a. How often did you use heroin or opium during the past twelve months - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU28

1...PY version **GO TO CKPT.IU29**

2...LT version **CONTINUE**

IU28b. Did you ever have a 12-month period when you used heroin or opium more than you did during the past 12 months?

- Yes
- No **GO TO IU28f**

IF DK/RF GO TO IU28f

IU28c. Thinking of the year when you used heroin or opium the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never **GO TO CKPT.IU29** [inhalant gate]

IF DK/RF GO TO CKPT.IU29



CKPT.IU28d

- 1...CKPT.IU27=4 [LT version -heroin use in past 12 months]
- 2...CKPT.IU27=2 [LT version -heroin use, but not in past 12 months]

GO TO IU28f
CONTINUE

IU28e. How old were you the last time you used heroin or opium?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU28f. In how many different years did you use heroin or opium?

years

CKPT. IU29

- 1...IU9!=YES [no inhalant use ever]

GO TO CKPT.IU31 [other drug gate]

- 2...LIFETIME VERSION AND IU9=YES AND IU9!=Past12Mo [LT version -inhalant use, but not in past 12 months]

GO TO IU30c

- 3...PAST YEAR VERSION AND IU9=YES AND IU9!=Past12Mo [PY version -inhalant use, but not in past 12 months]

GO TO CKPT.IU31 [other drug gate]

- 4...IU9=YES AND IU9=Past12Mo [PY or LT version -inhalant use in past 12 months]

CONTINUE

IU30a. How often did you use inhalants or solvents during the past twelve months - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU30

- 1...PY version **GO TO CKPT.IU31**
- 2...LT version **CONTINUE**



IU30b. Did you ever have a 12-month period when you used inhalants or solvents more than you did during the past 12 months?

- Yes
- No **GO TO IU30f**

IF DK/RF GO TO IU30f

IU30c. Thinking of the year when you used inhalants or solvents the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never **GO TO CKPT.IU31** *[other drug gate]*

IF DK/RF GO TO CKPT.IU31

CKPT.IU30d

1...CKPT.IU29=4 *[LT version -inhalant use in past 12 months]*

GO TO IU30f

2...CKPT.IU29=2 *[LT version -inhalant use, but not in past 12 months]*

CONTINUE

IU30e. How old were you the last time you used inhalants or solvents?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU30f. In how many different years did you use inhalants or solvents?

years



CKPT. IU31

1...IU10!=YES [no other drug use ever]

GO TO CKPT.IU33 [PY drug gates]

2...LIFETIME VERSION AND IU10=YES AND IU10!=Past12Mo [LT version-other drug use, not in past 12 mo]

GO TO IU32c

3...PAST YEAR VERSION AND IU10=YES AND IU10!=Past12Mo [PY version -other drug use, not in past 12 mo]

GO TO CKPT.IU33 [PY drug gates]

4...IU10=YES AND IU10=Past12Mo [PY or LT version -other drug use in past 12 months]

CONTINUE

IU32a. How often did you use any of the other drugs you specified during the past twelve months - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never

CKPT.IU32

1...PY version **GO TO CKPT.IU33**

2...LT version **CONTINUE**

IU32b. Did you ever have a 12-month period when you used any of the other drugs you specified more than you did during the past 12 months?

- Yes
- No **GO TO IU32f**

IF DK/RF GO TO IU232f



IU32c. Thinking of the year when you used any of the other drugs you specified the most, how often did you use - every day, nearly every day, 3 to 4 days a week, 1 to 2 days a week, 1 to 3 days a month, less than once a month, or never?

- Every day
- Nearly every day
- 3-4 days / week
- 1-2 days / week
- 1-3 days / month
- Less than once a month
- Never GO TO CKPT.IU33 [PY drug gates]

IF DK/RF GO TO CKPT.IU33

CKPT.IU32d

1...CKPT.IU31=4 [LT version -other drug use in past 12 months]

GO TO IU32f

2...CKPT.IU31=2 [LT version -other drug use, but not in past 12 months]

CONTINUE

IU32e. How old were you the last time you used any of the other drugs you specified?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU32f. In how many different years did you use any of the other drugs you specified?

years

CKPT. IU33

0...(IU1a!=YES AND (IU1c!=YES OR IU1d!=YES OR IU1f!=YES)) OR ((SC26c!=Past12Mo OR IU1b!=YES) AND (IU1e!=YES OR IU1f!=YES)) [PY or LT version - no past year nonmedical sedative use]

1...IU1b=YES OR IU1f=YES [PY or LT version -past year nonmedical sedative use]

CKPT. IU34

0...(IU2a!=YES AND (IU2c!=YES OR IU2d!=YES OR IU2f!=YES)) OR ((SC26c!=Past12Mo OR IU2b!=YES) AND (IU2e!=YES OR IU2f!=YES)) [PY or LT version - no past year nonmedical stimulant use]

1...IU2b=YES OR IU2f=YES [PY or LT version -past year nonmedical stimulant use]

CKPT. IU35

0...(IU3a!=YES AND (IU3c!=YES OR IU3d!=YES OR IU3f!=YES)) OR ((SC26c!=Past12Mo OR IU3b!=YES) AND (IU3e!=YES OR IU3f!=YES)) [PY or LT version - no past year nonmedical analgesic use]

1...IU3b=YES OR IU3f=YES [PY or LT version -past year nonmedical analgesic use]



CKPT. IU36

0...IU4!=YES OR IU4!=Past12Mo [*PY or LT version -no past year marijuana use*]

1...IU4=Past12Mo [*PY or LT version -past year marijuana use*]

CKPT. IU37

0...IU5!=YES OR IU5!=Past12Mo [*PY or LT version -no past year cocaine use*]

1...IU5=Past12Mo [*PY or LT version -past year cocaine use*]

CKPT. IU38

0...IU6!=YES OR IU6!=Past12Mo [*PY or LT version -no past year club drug use*]

1...IU6=Past12Mo [*PY or LT version -past year club drug use*]

CKPT. IU39

0...IU7!=YES OR IU7!=Past12Mo [*PY or LT version -no past year hallucinogen use*]

1...IU7=Past12Mo [*PY or LT version -past year hallucinogen use*]

CKPT. IU40

0...IU8!=YES OR IU8!=Past12Mo [*PY or LT version -no past year heroin use*]

1...IU8=Past12Mo [*PY or LT version -past year heroin use*]

CKPT. IU41

0...IU9!=YES OR IU9!=Past12Mo [*PY or LT version -no past year inhalant use*]

1...IU9=Past12Mo [*PY or LT version -past year inhalant use*]

CKPT. IU42

0...IU10!=YES OR IU10!=Past12Mo [*PY or LT version -no past year other drug use*]

1...IU10=Past12Mo [*PY or LT version -past year other drug use*]

CKPT.IU43

1...LIFE TIME VERSION AND 0 RESPONSES CODED '1' IN CKPT.IU33 - CKPT.IU42 [*LT version-No Past 12 mo. illegal drug use*]

GO TO CKPT.IU71 [*LT drug gates*]

2...PAST YEAR VERSION AND 0 RESPONSES CODED '1' IN CKPT.IU33 - CKPT.IU42 [*PY version-No Past 12 mo. illegal drug use*]

GO TO NEXT MODULE

3...1 RESPONSE CODED '1' IN CKPT.IU33-CKPT.IU42 [*PY illegal drug use; one type*]

CONTINUE

4...2+ RESPONSES CODED '1' IN CKPT.IU33-CKPT.IU42 [*PY illegal drug use; multiple types*]

CONTINUE

CKPT.IU45_1

1...SC26e=Past12Mo [*Past 12mo arguments/problems*]

CONTINUE

2...SC26e!=Past12Mo [*No past 12mo arguments/problems*]

GO TO CKPT.IU54_1



	Yes	No
<p>IU45b. You reported using IUFill10 during the past 12 months. The next questions are about any problems you may have had because of your use of IUFill11 <u>during the past 12 months.</u></p> <p>You indicated earlier in the interview that your drug use caused arguments or other serious or repeated problems with your family, friends, neighbors, or co-workers during the past 12 months. Did you continue to use even though it caused problems with these people?</p>	<input type="radio"/>	<input type="radio"/>

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFill10 WITH THE CORRESPONDING GATE FILL BELOW:

- CKPT.IU33=IUID5
- CKPT.IU34=IUID6
- CKPT.IU35=IUID7
- CKPT.IU36=IUID8
- CKPT.IU37=IUID9
- CKPT.IU38=IUID10
- CKPT.IU39=IUID11
- CKPT.IU40=IUID12
- CKPT.IU41=IUID13
- CKPT.IU42=IUID14

IF MULTIPLE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN FILL IUFill 10 WITH ALL RESPONSES

SEPARATE BY "and" IF ONLY TWO GATES ARE '1'.

SEPARATE BY ", " IF MORE THAN THREE GATES ARE '1' AND PLACE AN 'and' BEFORE THE FINAL FILL.

IF TWO OR MORE GATES IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFill11=IUID15

CKPT.IU54_1

1...SC26i=Past12Mo [*Past 12mo withdrawal symptoms*]

2...SC26i!=Past12Mo [*No past 12mo withdrawal symptoms*]

GO TO GRID SCREEN 2

CONTINUE



	Yes	No
<p>IU54. The next questions are about some other problems you may have had because of your use of IUFILL12 during <u>the past 12 months</u>.</p> <p>Earlier, you indicated that you have <i>not</i> had times during the past 12 months when you stopped, cut down, or went without using drugs and then experienced withdrawal symptoms. During the past 12 months, did you have times when you used IUFILL13 to <u>keep</u> from having problems like these?</p>	<input type="radio"/>	<input type="radio"/>

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL12 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5
CKPT.IU34=IUID6
CKPT.IU35=IUID7
CKPT.IU36=IUID8
CKPT.IU37=IUID9
CKPT.IU38=IUID10
CKPT.IU39=IUID11
CKPT.IU40=IUID12
CKPT.IU41=IUID13
CKPT.IU42=IUID14

IF TWO OR MORE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL12=IUID15

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL13 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5
CKPT.IU34=IUID6
CKPT.IU35=IUID7
CKPT.IU36=IUID8
CKPT.IU37=IUID9
CKPT.IU38=IUID10
CKPT.IU39=IUID11
CKPT.IU40=IUID12
CKPT.IU41=IUID13
CKPT.IU42=IUID14

IF TWO OR MORE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL13=IUID15



[GRID SCREEN 2]

(The next questions are about some other problems you may have had because of your use of IUFILL14 during the past 12 months.)

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL14 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5
CKPT.IU34=IUID6
CKPT.IU35=IUID7
CKPT.IU36=IUID8
CKPT.IU37=IUID9
CKPT.IU38=IUID10
CKPT.IU39=IUID11
CKPT.IU40=IUID12
CKPT.IU41=IUID13
CKPT.IU42=IUID14

IF TWO OR MORE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL14=IUID15

	Yes	No
IU56. During the past 12 months, were there times when you used IUFILL15 more frequently or for <u>more days in a row</u> than you intended?	<input type="radio"/>	<input type="radio"/>

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL15 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5
CKPT.IU34=IUID6
CKPT.IU35=IUID7
CKPT.IU36=IUID8
CKPT.IU37=IUID9
CKPT.IU38=IUID10
CKPT.IU39=IUID11
CKPT.IU40=IUID12
CKPT.IU41=IUID13
CKPT.IU42=IUID14

IF TWO OR MORE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL15=IUID15



	Yes	No
IU58. (During the past 12 months) did you have periods of several days or more when you spent so much time using or recovering from the effects of IUFill16 that you had little time for anything else?	<input type="radio"/>	<input type="radio"/>

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFill16 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5
 CKPT.IU34=IUID6
 CKPT.IU35=IUID7
 CKPT.IU36=IUID8
 CKPT.IU37=IUID9
 CKPT.IU38=IUID10
 CKPT.IU39=IUID11
 CKPT.IU40=IUID12
 CKPT.IU41=IUID13

CKPT.IU42=IUID14 IF TWO OR MORE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN IUFill16 =IUID15

	Yes	No
IU59. (During the past 12 months) did you have a time when you gave up or greatly reduced important activities because of your use of IUFill17- like sports, work, or seeing friends and family?	<input type="radio"/>	<input type="radio"/>

IUFill17- like sports, work, or seeing friends and family?

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFill17 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5
 CKPT.IU34=IUID6
 CKPT.IU35=IUID7
 CKPT.IU36=IUID8
 CKPT.IU37=IUID9
 CKPT.IU38=IUID10
 CKPT.IU39=IUID11
 CKPT.IU40=IUID12
 CKPT.IU41=IUID13

IF TWO OR MORE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN IUFill17=IUID15



	Yes	No
IU60. (During the past 12 months) did you continue to use IUFILL18 when you knew you had a serious physical or emotional problem that might have been caused by or made worse by using?	<input type="radio"/>	<input type="radio"/>

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL18 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5
 CKPT.IU34=IUID6
 CKPT.IU35=IUID7
 CKPT.IU36=IUID8
 CKPT.IU37=IUID9
 CKPT.IU38=IUID10
 CKPT.IU39=IUID11
 CKPT.IU40=IUID12
 CKPT.IU41=IUID13

IF TWO OR MORE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL18=IUID15

CKPT.IU61a

0...SC26j!=Past12Mo AND IU56!=Yes [*does not meet "More than intended" criterion past 12mo*]
 1...SC26j=Past12Mo OR IU56=Yes [*meets "More than intended" criterion past 12 months*]

CKPT.IU61b

0...SC26k!=Past12Mo [*does not meet "Control" criterion past 12 months*]
 1...SC26k=Past12Mo [*meets "Control" criterion past 12 months*]

CKPT.IU61c

0...IU58!=Yes [*does not meet "Recovering" criterion past 12 months*]
 1...IU58=Yes [*meets "Recovering" criterion past 12 months*]

CKPT.IU61d

0...SC26g!=Past12Mo [*does not meet "Craving" criterion past 12 months*]
 1...SC26g=Past12Mo [*meets "Craving" criterion past 12 months*]

CKPT.IU61e

0...SC26d!=Past12Mo [*does not meet "Occupational/Social interference" criterion past 12 months*]
 1...SC26d=Past12Mo [*meets "Occupational/Social interference" criterion past 12 months*]

CKPT.IU61f

0...IU45b!=Yes [*does not meet "Arguments/Problems" criterion past 12 months*]
 1...IU45b=Yes [*meets "Arguments/Problems" criterion past 12 months*]



CKPT.IU61g

0...IU59!=Yes *[does not meet “Giving up activities” criterion past 12 months]*

1...IU59=Yes *[meets “Giving up activities” criterion past 12 months]*

CKPT.IU61h

0...SC26f!=Past12Mo *[does not meet “Dangerous situations” criterion past 12 months]*

1...SC26f=Past12Mo *[meets “Dangerous situations” criterion past 12 months]*

CKPT.IU61i

0...IU60!=Yes *[does not meet “Health problems” criterion past 12 months]*

1...IU60=Yes *[meets “Health problems” criterion past 12 months]*

CKPT.IU61j

0...SC26h!=Past12Mo *[does not meet “Tolerance” criterion past 12 months]*

1...SC26h=Past12Mo *[meets “Tolerance” criterion past 12 months]*

CKPT.IU61k

0...SC26i!=Past12Mo AND IU54!=Yes *[does not meet “Withdrawal” criterion past 12 months]*

1...SC26i=Past12Mo OR IU54=Yes *[meets “Withdrawal” criterion past 12 months]*

CKPT.IU62

1...PAST YEAR VERSION AND (ZERO OR ONE RESPONSES CODED ‘1’ in CKPT.IU61a-CKPT.IU61k) *[PY version - Meets past 12mo Freq/quant. Screen but has <2 SUD symptoms past 12mo]*

GO TO NEXT MODULE

2...LIFETIME VERSION AND (ZERO OR ONE RESPONSES CODED ‘1’ in CKPT.IU61a-CKPT.IU61k) *[LT version - Meets past 12mo Freq/quant. Screen but has <2 past 12-month SUD symptoms]*

GO TO IU71 *[LT gate]*

3...TWO TO THREE RESPONSES CODED ‘1’ in CKPT.IU61a-CKPT.IU61k *[PY or LT version - Meets past 12-month Freq./Quant. Screen, and has 2-3 SUD symptoms past 12mo]*

CONTINUE

4...FOUR TO FIVE RESPONSES CODED ‘1’ in CKPT.IU61a-CKPT.IU61k *[PY or LT version - Meets past 12-month Freq./Quant. Screen, and has 4-5 SUD symptoms past 12mo]*

CONTINUE

5...SIX OR MORE RESPONSES CODED ‘1’ in CKPT.IU61a-CKPT.IU61k *[PY or LT version - Meets past 12-month Freq./Quant. Screen, and has 6 or more SUD symptoms past 12mo]*

CONTINUE



IU62Intro1. You reported having a number of other drug use problems during the past 12 months, such as IUFill19. How old were you the very first time you had any of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

FILL IUFill19 WITH THE CORRESPONDING GATE FILL TO THE FIRST TWO ENDORSED BELOW, SEPARATED BY 'and':

SC26d_1=IUID16
IU45b=IUID17
SC26f_1=IUID18
SC26g_1=IUID19
SC26h_1=IUID20
SC26i_1=IUID21
IU54=IUID22
SC26j_1=IUID23
IU56=IUID24
SC26k_1=IUID25
IU58=IUID26
IU59=IUID27
IU60=IUID28

years old

IU65. How old were you the first time you had two or more of these problems during the same 12-month period?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU66. How recently did you have two or more of these problems - within the past 30 days, 1+ to six months ago, or more than six months ago?

- Within the past 30 days
- 1 to 6 months ago
- More than 6 months ago

IU67. About how many different years in your life did you ever have two or more of these problems?

years



[GRID SCREEN 3]

IU68. Think about the time lasting one month or longer during the past 12 months when you were using IUFILL20 the most. Using a 0 to 10 scale, where 0 means no interference and 10 means very severe interference, what number describes how much using IUFILL21 interfered with each of the following activities during that time?

[IF NEC: How much did your drug use interfere with (ACTIVITY) during that period?]

[IF NEC: You can use any number between 0 and 10 to answer.]


IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL20 AND IUFILL 21 WITH THE CORRESPONDING GATE FILL BELOW:

- CKPT.IU33=IUID5
- CKPT.IU34=IUID6
- CKPT.IU35=IUID7
- CKPT.IU36=IUID8
- CKPT.IU37=IUID9
- CKPT.IU38=IUID10
- CKPT.IU39=IUID11
- CKPT.IU40=IUID12
- CKPT.IU41=IUID13
- CKPT.IU42=IUID14

IF TWO OR MORE GATES ARE '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL20 AND IUFILL21=IUID15



a. Your home management, like cleaning, shopping, and taking care of the house or apartment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Your ability to work?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Your ability to form and maintain close relationships with other people?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Your social life?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



CKPT.IU69

1...LIFETIME VERSION AND ALL RESPONSES CODED '0' IN IU68a-IU68d OR DK/RF [*LT version - no past 12mo interference*]

GO TO CKPT.IU71 [*LT gate*]

2...PAST YEAR VERSION AND ALL RESPONSES CODED '0' IN IU68a-IU68d OR DK/RF [*PY version - no past 12mo interference*]

GO TO IU105A [*Tx Qs*]

3...ALL OTHERS [*PY or LT version - some interference*]

CONTINUE

IU70. About how many days out of 365 during the past 12 months were you totally unable to work or carry out your normal activities because of your use of IUFILL22?

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL22 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5

CKPT.IU34=IUID6

CKPT.IU35=IUID7

CKPT.IU36=IUID8

CKPT.IU37=IUID9

CKPT.IU38=IUID10

CKPT.IU39=IUID11

CKPT.IU40=IUID12

CKPT.IU41=IUID13

CKPT.IU42=IUID14

IF TWO OR MORE GATES IS '1" IN CKPT.IU33-CKPT.IU42

THEN IUFILL22=IUID15

days

CKPT.IU71

1...PAST YEAR VERSION [*PY version - qualifies for past 12mo SUD*]

GO TO IU105A [*Tx Qs*]

2...LIFETIME VERSION AND CKPT.IU62>2 [*LT version -qualifies for past 12mo SUD*]

GO TO IU105A [*Tx Qs*]

3...ALL OTHERS [*LT version - does not qualify for past 12mo SUD*]

CONTINUE

CKPT. IU72

0...IU1a!=YES AND (IU1c!=YES OR IU1d!=YES) [*LT version -no nonmedical sedative use*]

1...IU1a=Yes OR IU1d=Yes [*LT version -nonmedical sedative use*]



CKPT. IU73

0...IU2a!=YES AND (IU2c!=YES OR IU2d!=YES) [*LT version -no nonmedical stimulant use*]

1...IU2a=Yes OR IU2d=Yes [*LT version -nonmedical stimulant use*]

CKPT. IU74

0...IU3a!=YES AND (IU3c!=YES OR IU3d!=YES) [*LT version -no nonmedical analgesic use*]

1...IU3a=Yes OR IU3d=Yes [*LT version -nonmedical analgesic use*]

CKPT.IU75

1...LIFETIME VERSION AND ALL RESPONSES CODED '0' IN CKPT.IU72-CKPT.IU74 AND ALL RESPONSES TO CODED '0' IN IU4-IU10 [*LT version -No illegal drug use*]

GO TO NEXT MODULE

2...ONE RESPONSE CODED 1 IN CKPT.IU72-CKPT.IU74, IU4-IU10 [*LT version -illegal drug use; one type only; does not qualify for past-year SUD*]

CONTINUE

3...TWO OR MORE RESPONSES CODED 1 IN CKPT.IU72-CKPT.IU74, IU4-IU10 [*LT version -illegal drug use; multiple types; does not qualify for past-year SUD*]

CONTINUE

CKPT.IU76

1...ONE OR MORE RESPONSES CODED 1 IN IU14b, IU16b, IU18b, IU20b, IU22b, IU24b, IU26b, IU28b, IU30b, IU32b [*LT version -illegal drug use; greater use in lifetime than in past 12 months*]

GO TO CKPT.IU78

2...ALL OTHERS [*LT version -illegal drug use; no indication of greater lifetime use than in past 12 months*]

CONTINUE



IU77. Was there ever a time in your life when the problems associated with your drug use IUFILL23 were more intense or frequent than during the past 12 months?

IF ZERO YES RESPONSES IN ((SC26j_1 OR IU56) OR SC26k_1 OR IU58 OR SC26g_1 OR SC26d_1 OR IU45b OR IU59 OR SC26f_1 OR IU60 OR SC26h_1 OR (SC26i_1 OR IU54))

THEN IUFILL23=","

IF ONE YES RESPONSE IN ((SC26j_1 OR IU56) OR SC26k_1 OR IU58 OR SC26g_1 OR SC26d_1 OR IU45b OR IU59 OR SC26f_1 OR IU60 OR SC26h_1 OR (SC26i_1 OR IU54))

THEN FILL IUFILL23 WITH THE CORRESPONDING FILL LISTED BELOW

IF TWO YES RESPONSES IN ((SC26j_1 OR IU56) OR SC26k_1 OR IU58 OR SC26g_1 OR SC26d_1 OR IU45b OR IU59 OR SC26f_1 OR IU60 OR SC26h_1 OR (SC26i_1 OR IU54))

THEN IUFILL23 WITH “, such as ” FOLLOWED BY THE FIRST TWO ENDORSED WITH THE CORRESPONDING FILL LISTED BELOW

SC26d_1=IUID16
IU45b=IUID17
SC26f_1=IUID18
SC26g_1=IUID19
SC26h_1=IUID20
SC26i_1=IUID21
IU54=IUID22
SC26j_1=IUID23
IU56=IUID24
SC26k_1=IUID25
IU58=IUID26
IU59=IUID27
IU60=IUID28

Yes

No

CKPT.IU78

1...IU77!=YES AND CKPT.IU43=1 [*LT version - lifetime problems not more severe than past 12 months; no drug use past 12 months*]

GO TO NEXT MODULE

2...IU77!=YES AND CKPT.IU62=2 [*LT version - lifetime problems not more severe than past 12 months; drug use past 12 months but <2 SUD symptoms*]

GO TO NEXT MODULE

3...(IU77=YES OR CKPT.IU76=1) AND CKPT.IU43=1 [*LT version - lifetime use or problems more severe than past 12 months (or lifetime prescription drug misuse); no drug use past 12 months*]

CONTINUE

4...(IU77=YES OR CKPT.IU76=1)AND CKPT.IU62=2 [*LT version - lifetime use or problems more severe than past 12 months (or lifetime prescription drug misuse); but <2 past 12mo SUD symptoms*]

CONTINUE



CKPT.IU80_1

1...SC26e=Yes [*Lifetime arguments or problems*]

CONTINUE

2...SC26e!=Yes [*Lifetime no arguments or problems*]

GO TO CKPT.IU90_1

	Yes	No
<p>IU80b. You reported using IUFILL24. The next questions are about any problems you may have had because of your use of IUFILL25.</p> <p>You indicated earlier in the interview that your drug use caused arguments or other serious or repeated problems with your family, friends, neighbors, or co-workers. Did you continue to use even though it caused problems with these people?</p>	<input type="radio"/>	<input type="radio"/>

IF ONLY ONE GATE IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL24 WITH THE CORRESPONDING GATE FILL BELOW:

CKPT.IU33=IUID5

CKPT.IU34=IUID6

CKPT.IU35=IUID7

CKPT.IU36=IUID8

CKPT.IU37=IUID9

CKPT.IU38=IUID10

CKPT.IU39=IUID11

CKPT.IU40=IUID12

CKPT.IU41=IUID13

CKPT.IU42=IUID14

IF TWO OR MORE GATES IS '1' IN CKPT.IU33-CKPT.IU42

THEN IUFILL24 AND IUFILL25=IUID15

CKPT.IU90_1

1...SC26i=Yes [*withdrawal symptoms*]

GO TO GRID SCREEN 4

2...SC26i!=Yes [*No withdrawal symptoms*]

CONTINUE



	Yes	No
<p>IU90. The next questions are about some IUFILL26 problems you may have had because of your use of IUFILL27.</p> <p>Earlier, you indicated that you have <u>never</u> had times when you stopped, cut down, or went without using drugs and then experienced withdrawal symptoms. Did you ever have times when you used IUFILL27 to <u>keep</u> from having problems like these?</p>	<input type="radio"/>	<input type="radio"/>

IF ZERO RESPONSES CODED '1' IN CKPT.IU61a-CKPT.IU61k
THEN IUFILL26=BLANK

IF ONE RESPONSE CODED '1' IN CKPT.IU61a-CKPT.IU61k
THEN IUFILL26=IUID29

IF CKPT.IU43=1 AND CKPT.IU75=2
THEN IUFILL27=IUID30

IF CKPT.IU43=1 AND CKPT.IU75=3
THEN IUFILL27=IUID15

IF CKPT.IU43=3
THEN IUFILL27=IUID30

IF CKPT.IU43=4
THEN IUFILL27=IUID15



[GRID SCREEN 4]

(The next questions are about some IUFILL28 problems you may have had because of drug use in your lifetime.)

IF ZERO RESPONSES CODED '1' in CKPT.IU61a-CKPT.IU61k
IUFILL28=BLANK

IF ONE RESPONSE CODED '1' in CKPT.IU61a-CKPT.IU61k
IUFILL28=IUID29

	Yes	No
<p>IU92. Were there ever times when you used IUFILL29 more frequently or for more days in a row than you intended?</p> <p>FILL RULES: IF CKPT.IU43=1 AND CKPT.IU75=2 THEN IUFILL29=IUID30 IF CKPT.IU43=1 AND CKPT.IU75=3 THEN IUFILL29=IUID15 IF CKPT.IU43=3 THEN IUFILL29=IUID30 IF CKPT.IU43=4 THEN IUFILL29=IUID15</p>	<input type="radio"/>	<input type="radio"/>
<p>IU94. Did you ever have periods of several days or more when you spent so much time using or recovering from the effects of IUFILL30 that you had little time for anything else?</p> <p>FILL RULES: IF CKPT.IU43=1 AND CKPT.IU75=2 THEN IUFILL30=IUID30 IF CKPT.IU43=1 AND CKPT.IU75=3 THEN IUFILL30=IUID15 IF CKPT.IU43=3 THEN IUFILL30=IUID30 IF CKPT.IU43=4 THEN IUFILL30=IUID15</p>	<input type="radio"/>	<input type="radio"/>
<p>IU95. Did you ever have a time when you gave up or greatly reduced important activities because of your use of IUFILL31 - like sports, work, or seeing friends and family?</p> <p>FILL RULES: IF CKPT.IU43=1 AND CKPT.IU75=2 THEN IUFILL31=IUID30 IF CKPT.IU43=1 AND CKPT.IU75=3 THEN IUFILL31=IUID15 IF CKPT.IU43=3 THEN IUFILL31=IUID30 IF CKPT.IU43=4 THEN IUFILL31=IUID15</p>	<input type="radio"/>	<input type="radio"/>



<p>IU96. Did you ever continue to use IUFill32 when you knew you had a serious physical or emotional problem that might have been caused by or made worse by using?</p> <p>FILL RULES: IF CKPT.IU43=1 AND CKPT.IU75=2 THEN IUFill32=IUID30 IF CKPT.IU43=1 AND CKPT.IU75=3 THEN IUFill32=IUID15 IF CKPT.IU43=3 THEN IUFill32=IUID30 IF CKPT.IU43=4 THEN IUFill32=IUID15</p>	<p><input type="radio"/> <input type="radio"/></p>
---	--

**CKPT.IU97a**

0...SC26j!=Yes AND IU56!=Yes AND IU92!=Yes [*does not meet "More than intended" criterion past 12mo*]
1...SC26j=Yes OR IU56=1 OR IU92=Yes [*meets "More than intended" criterion lifetime*]

CKPT.IU97b

0...SC26k!=Yes [*does not meet "Control" criterion lifetime*]
1...SC26k=Yes [*meets "Control" criterion lifetime*]

CKPT.IU97c

0...IU58!=Yes AND IU94!=Yes [*does not meet "Recovering" criterion lifetime*]
1...IU58=Yes OR IU94=Yes [*meets "Recovering" criterion lifetime*]

CKPT.IU97d

0...SC26g!=Yes [*does not meet "Craving" criterion lifetime*]
1...SC26g=Yes [*meets "Craving" criterion lifetime*]

CKPT.IU97e

0...SC26d!=Yes [*does not meet "Occupational/Social interference" criterion lifetime*]
1...SC26d=Yes [*meets "Occupational/Social interference" criterion lifetime*]

CKPT.IU97f

0...IU45b!=Yes AND IU80b!=Yes [*does not meet "Arguments/Problems" criterion lifetime*]
1...IU45b=Yes OR IU80b=Yes [*meets "Arguments/Problems" criterion lifetime*]

CKPT.IU97g

0...IU59!=Yes AND IU95!=Yes [*does not meet "Giving up activities" criterion lifetime*]
1...IU59=Yes OR IU95=Yes [*meets "Giving up activities" criterion lifetime*]

CKPT.IU97h

0...SC26f!=Yes [*does not meet "Dangerous situations" criterion lifetime*]
1...SC26f=Yes [*meets "Dangerous situations" criterion lifetime*]

CKPT.IU97i

0...IU60!=Yes AND IU96!=Yes [*does not meet "Health problems" criterion lifetime*]
1...IU60=Yes OR IU96=Yes [*meets "Health problems" criterion lifetime*]

CKPT.IU97j

0...SC26h!=Yes [*does not meet "Tolerance" criterion lifetime*]
1...SC26h=Yes [*meets "Tolerance" criterion lifetime*]



CKPT.IU97k

0...SC26i!=Yes AND IU54!=Yes AND IU90!=Yes *[does not meet "Withdrawal" criterion lifetime]*

1...SC26i=Yes OR IU54=Yes OR IU90=Yes *[meets "Withdrawal" criterion lifetime]*

CKPT.IU98

1...ZERO OR ONE RESPONSES CODED '1' in CKPT.AU72a-CKPT.AU72k *[LT version - <2 SUD symptoms in lifetime]*

GO TO NEXT MODULE

2...TWO OR MORE RESPONSES CODED '1' in CKPT.AU72a-CKPT.AU72 *[LT version - Greater than one lifetime SUD symptom]*

CONTINUE

IU98Intro1. You reported that IUFILL33 *and* IUFILL34. How old were you the very first time you had any of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

FILL IUFILL33 AND IUFIL34 IN ORDER OF FIRST TWO ENDORSED WITH THE CORRESPONDING GATE
FILL BELOW:

SC26d=IUID16

IU45b OR IU80b=IUID17

SC26f=IUID18

SC26g=IUID19

SC26h=IUID20

SC26i=IUID21

IU54 OR IU90=IUID22

SC26j=IUID33

IU56 OR IU92=IUID34

SC26k=1=IUID25

IU58 OR IU94=IUID26

IU59 OR IU95=IUID27

IU60=1 OR IU96=IUID28

years old

IU101. Did you ever have two or more of these problems during the same 12-month period?

Yes

No **GO TO IU105a**

IF DK/RF GO TO IU105a



IU102. How old were you the first time you had two or more of these problems during the same 12-month period?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU103. How old were you the last time you had two or more of these problems?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU104. About how many different years in your life did you ever have two or more of these problems?

[INTERVIEWER: Years should not be greater than participant's current age.]

years

IU105a. Did you ever in your life talk to a medical doctor or other professional about your drug use?(By professional we mean psychologists, counselors, spiritual advisors, herbalists, acupuncturists, and other healing professionals.)

- Yes
 No **GO TO IU108a**

IF DK/RF GO TO IU108a

IU105b. How old were you the first time (you talked to a professional about your drug use)?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

CKPT.IU105b_1

1...LT version **CONTINUE**

2...PY version **GO TO IU107**



IU105c. How many professionals did you ever talk to about your drug use?

professionals

IU106a. Did you ever get treatment for your drug use that you considered helpful or effective?

- Yes
 No **GO TO IU107**

IF DK/RF GO TO IU107

IU106b. How old were you the first time (you got helpful treatment for your drug use)?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU107. Did you receive professional treatment for your drug use at any time during the past 12 months?

- Yes
 No

IU108a. Were you ever hospitalized overnight for your drug use?

- Yes
 No **GO TO IU109a**

IF DK/RF GO TO IU109a

IU108b. How old were you the first time you were hospitalized overnight because of your drug use?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU109a. Did you ever go to a self-help group like Narcotics Anonymous for help with your drug use?

- Yes
 No **GO TO IU110**

IF DK/RF GO TO IU110



IU109b. How old were you the first time (you went to a self-help group of this sort)?

[INTERVIEWER: Age should not be greater than participant's current age.]

[If unsure, prompt: "About how old were you?" If still unsure or "as long as I can remember", prompt: "Was it before your teens?" If yes, enter '12'; if no, prompt "Was it before your twenties?" If yes, enter '19'; if no, enter '20']

years old

IU109c. How many meetings of such a group did you attend during the past 12 months?

meetings

IU110. How many of your close relatives - including your biological parents, brothers and sisters, and children - ever had problems with drug use?

relatives



Fills Appendix

- IUID1: non-medically
- IUID2: so regularly that you felt you could not stop using
- IUID3: you used sedatives or tranquilizers nonmedically
- IUID4: your use of sedatives or tranquilizers was so regular that you felt you could not stop using
- IUID5: sedatives
- IUID6: stimulants
- IUID7: analgesics
- IUID8: marijuana
- IUID9: cocaine
- IUID10: club drugs
- IUID11: hallucinogens
- IUID12: heroin
- IUID13: inhalants
- IUID14: other drugs
- IUID15: any of these drugs
- IUID16: your use interfering with your work
- IUID17: continuing to use even though it caused problems with family or friends
- IUID18: using in situations where you could have gotten hurt
- IUID19: continually thinking about or feeling a strong urge to use
- IUID20: needing larger amounts to get an effect
- IUID21: experiencing withdrawal symptoms
- IUID22: using to keep from feeling physical problems
- IUID23: using when you planned not to, or using more than you planned
- IUID24: using more frequently than you intended
- IUID25: trying but not being able to stop or cut down using
- IUID26: spending periods of several days doing little more than using or getting over the effects of using
- IUID27: giving up or reducing important activities because of your use
- IUID28: continuing to use even though it caused or worsened physical or emotional problems
- IUID29: other
- IUID30: this drug